

January 2020

SAFETYZONE MAGAZINE

Diamond-like Carbon (DLC) Coatings:
Family of Coatings Stands Ready to Meet
the Challenges of Most Demanding, High
Wear Applications



HAPPY NEW
YEAR FROM
SAFETY ZONE
MAGAZINE

HOT SALE!

615.593.0510



\$860

each

The Original -

www.LTBLtech.com



Radar Controlled LC-1

www.LTBLtech.com

Buy Qty 20 or More & Get Discounted Pricing

★★★\$640★★★



MANY OTHER
IMAGES TO
CHOOSE FROM

**LTBLtech - Inventors of DockRight Laser
Virtual Laser Floor Line Technology.**

OMEGA SAFETY BARRIERS & GUARDS



SAFETY BARRIERS



R-U-F PORTABLE BARRIERS



PIPE GUARDS



COLUMN GUARDS



HANDRAILS & GATES



RACK GUARDS



CORNER SHIELDS



QUIK-STEP STAIRS



TRAK-SHIELD



BOLLARDS

Downspout Pipe Guards HDPE Bollard Covers and many other safety products available.

www.omegaindl.com | 800-521-8272

Omega Industrial Products - The Nation's Leading Supplier Of Safety Barriers & Guarding Products

SZM Contents • January 2020

PG 4	Company Profile: Columbia Southern University
PG 6	Company Profile: Jesco
PG 8	Diamond-like Carbon (DLC) Coatings: Family of Coatings Stands Ready to Meet the Challenges of Most Demanding, High Wear Applications
PG 20	Company Profile: Safety Through Engineering
PG 22	New Products From Hemco
PG 30	Ad Index



Pg 26

DO IT RIGHT. DO IT SMART.
OUR SAFETY SOLUTIONS HAVE YOU COVERED



SafetyRailCompany

Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888-434-2720

ASP Show Booth #1361

VPPA Show Booth #310

SAFETYZONE MAGAZINE

Vol. 20 Issue 1

PRESIDENT

Glen Hobson
205-441-5591
glen@tipsmag.net

PUBLISHER

Anne Marie Miranda
205-784-7033
annm@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@tipsmag.net

EDITOR

Brandon Greenhill
brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill
jacklyn@handfmedia.net

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.safetyzonemagazine.com
info@safetyzonemagazine.com


Safety Zone Magazine™ is published six times a year on a bi-monthly basis by CJS Media, P.O. Box 1568, Pelham, AL 35124 USA. *Safety Zone Magazine™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

Safety Zone Magazine™ is distributed to qualified owners and managers in the safety industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.



POSTMASTER: Send address changes to
CJS Media • P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA

TEST VENT DRAIN MAINTAIN



TESTANDRAIN®



PURGEVENT™



COLLECTANDRAIN®

www.agfmanufacturing.com



Educating Safety Professionals For 25 Years

Columbia Southern University's Department of Continuing Education is proud to offer online safety courses designed to equip students with the training they need to take the next step in their careers. CSU's safety course offering includes:

» **CE 1101: CHST Exam Prep Course** This course will prepare students for all competencies covered in the Construction Health and Safety Technician exam offered through the Board of Certified Safety Professionals. This certification is for individuals who demonstrate competency and work part-time or full-time in health and safety activities devoted to the prevention of construction illnesses and injuries. CEUs Earned: 3.3

» **CE 1102: Industrial Hygiene for Safety Professionals** Industrial hygienists use environmental monitoring and analytical methods to detect the extent of worker exposure and employ engineering, work practice controls, and other methods to control potential health hazards. This course was designed to enhance the skills of and provide the knowledge to successfully develop, administer and evaluate occupational safety and health programs. Prerequisites: None; CEUs Earned: 5.5

» **CE 1103: ASP® Exam Prep Course** This course will prepare students for all competencies covered in the Associate Safety Professional® examination offered through the Board of Certified Safety Professionals, which include trigonometry, chemistry, physics, statistics, safety management, fire prevention and protection, occupational health and more. Prerequisites: Although there are no course prerequisites, we recommend that students have a TI-30XIIS and/or an HP 10bII+ calculator before beginning course work. CEUs Earned: 3.6

» **CE 1104: CSP® Exam Prep Course** This course will prepare students for all competencies covered in the Certified Safety Professional® examination offered through the Board of Certified Safety Professionals, which include advanced science and math, risk management, emergency preparedness, law and ethics, advanced safety concepts and more. Prerequisites: Although there are no course prerequisites, we recommend that students have a TI-30XIIS and/or an HP 10bII+ calculator before beginning course work. CEUs Earned: 2.7

» **CE 1105: Maritime Hazardous Material Inventory** The 2009 Hong Kong Convention for the Safe and Environmentally Sound Recycling of Ships aims to ensure that vessels, upon being recycled at the end of their operational lives, do not present any unnecessary hazards to human health, safety, nor the environment. This course was designed to assist the student in becoming familiar with the requirements of the 2009 Hong Kong Convention which will become law effective, in 2020, for all vessels over 500GT. Prerequisites: None; CEUs Earned: 4.0

For more information, please visit our website at ColumbiaSouthern.edu/SafetyCEU, contact ContinuingEd@ColumbiaSouthern.edu or call 800.313.1992.



**COLUMBIA
SOUTHERN**
UNIVERSITY

ColumbiaSouthern.edu/SafetyCEU » 800.313.1992

Orange Beach, Ala. | Gainful employment information available at ColumbiaSouthern.edu/Disclosure.



Online Continuing Education Opportunities in Safety

Columbia Southern University's Department of Continuing Education is proud to offer courses that allow students the opportunity to enhance their current careers and provide them with relevant training.

Safety Course Information

- » Continuing Education courses are completely online, open enrollment, and students are given 10 weeks to complete.
- » Continuing Education course fees include textbooks and other learning materials.
- » Certificates of Completion are issued after successful completion of CEU course.
- » Online ASP® and CSP® Exam Prep Courses provide students with a comprehensive review of the ASP® and CSP® subject matter.

For more information, please visit our website at ColumbiaSouthern.edu/SafetyCEU, contact ContinuingEd@ColumbiaSouthern.edu or call 800.313.1992.



**COLUMBIA
SOUTHERN**
UNIVERSITY

ColumbiaSouthern.edu/SafetyCEU » 800.313.1992



Established in 1932 in Detroit, Michigan, by the grandfather of the company, Jesco Industries Inc. has grown to become one of the leading manufacturers of material handling equipment. We serve our customers very well by offering a wide variety of products which may be used from the processing department through the shipping department. A Woman Owned Small Business is WBE Certified.



current owner,
features of materi-
a wide variety
ough to the ship-
certified.

JESCOHUSKYDUMPERS® available in over 60 different sizes and maintain stock of standard sizes over 800 standard units of self dumping hoppers (2000#, 4000# and 6000# capacities). We offer several large volume self dumping hoppers in 6 cubic, 8 cubic and 10 cubic yard 6,000-10,000 capacity. Special applications deserve a specially designed unit. After many customers inquiring about a controlled dump or hydraulic unit, we decided to engineer and add several different hydraulic units to the product line.

JESCOHYDRATILT™ Dumpers which are available in 4000# capacity in .50, .75, 1, 1.5, and 2 cubic yard. The units are operator controlled with the hydraulic system of your forklift and used while seated on the lift. These new units are ideal when controlling the speed of discharging material is critical. The quick-disconnect lines are included on each of the units and a safety retaining chain. To fill out the line even more we have included ten different sizes of our Filter Press Hopper. Then along came the 90 degree Side Pivot Hopper and Low Profile Portable Hoppers with casters already installed.

Wire Mesh Partitions: 2"x1" rectangular mesh 10 gauge wire welded into an angle frame system is easy to use and easy to install. Ideal for around your automation enclosures, prevent your valuable tools from walking away from the tool crib, and quality control on non-conforming material, computer rooms, high security storage and so many more uses. JescoPalletGards® are wire containment backs for the pallet racks with stand-off clips (1.25, 4, 6 or 8 inch) design to fit most standard drilled pallet racks spaced two inch on center. Double hinge doors or double slide doors is an excellent way to secure high value products on the shelves.

1-1/2" Diamond mesh 10 gauge wire partition system are engineered for easy installation allowing unrestricted visibility and total air circulation. Inventory of standard height panels of 7, 8 or 10 high are available; but don't stop there because many industries require partitions to reach the trusses or building joists and that certainly can be accomplished. If you are installing partition on a raised platform (mezzanine) remember this requires zero or "no" sweep to keep everyone safe walking below. This is to prevent tools from dropping from the edge of the platform. (OSHA 1910.23(e)(4) Either partition system will work well but the more project information you are able to supply, the more knowledgeable we all become and it is truly amazing how that works!

The JESCOGARD® industrial guard rail 3-rib corrugation system will act as both a visual and physical barrier around your facility. The Economy Rail System is a 2-rib system and has been tested to withstand an impact of 10,000# traveling 4-mph. Should the need arise you can count on its strength without compromising quality at a price you can afford. Each system has available a self-closing single hinge gate with a sound dampening gasket on the gate.

Industrial shelf carts, platform trucks die storage racks and material handling trucks are built tough to move raw stock, cartons or finished materials in your plant for many years to come. Special carts are no issue just let us know what you need.

JESCOHUSKYDUMPERS®, wire partition systems, industrial guard rail systems, wire tenant storage lockers, industrial shelf carts, LP cylinder cabinets, machine guarding just to name a small portion of the products we offer to our customers. Our products are built to be the best in the industry and it is the reason customers keep coming back. Your satisfaction for a project well done is what really counts when the day comes to a close. We look forward for an opportunity to be able to assist your next industrial guarding or material handling requirements. Check out the full product line shown on the website at www.jescoOnline.com

"From the simplest to the complex, Jesco does it best!"

Jesco Industries Inc. • 950 Anderson Rd • PO Box 388 • Litchfield, MI 49252-0388

Email: Jesco@jescoOnline.com • Toll Free: 800-529-6691 • Direct: 517-542-2903 • Fax: 517-542-2501

Diamond-like Carbon (DLC) Coatings: Family of Coatings Stands Ready to Meet the Challenges of Most Demanding, High Wear Applications



Within the universe of wear resistant thin films, diamond-like carbon (DLC) coatings have emerged as the ideal solution for demanding physical applications where components are under high loads or subject to extreme friction, wear and contact with other parts. In these types of environments, only the high hardness of a DLC coating – along with a corresponding low coefficient of friction – can prevent parts from pitting, galling, seizing and ultimately failing in the field.

The widespread applications for DLC coatings include performance automotive and racing to wind turbine shaft bearings and planetary gears; stainless steel cutting blades and piston pumps for food processing; and sliding components in filling and bottling operations. The coatings are also a proven technique for upgrading critical rotating parts in hydraulic drives, fuel injection systems, mechanical seals, pumps and valves.

For many, DLC Coatings are hydrogenated amorphous carbon (a-C:H) coatings, but this is a misconception. Coatings within the DLC family can be highly engineered based on hydrogen content (hydrogenated or hydrogen-free), the selection of additional metallic and non-metallic doping elements, the presence of sub-layers and choice of deposition and bonding methods.

Together, these factors can be precisely controlled to create a broad range of thinly applied (typically 1 to 5

jescoHYDRATILT™ DUMPERS



HYDRAULICALLY CONTROLLED HOPPERS

These units are ideal where control of the quantity of material dumped or the rate of discharge is critical. They operate off the hydraulic system of your forklift and come complete with male quick-disconnect hoses for easy attachment to the forklift.



CONVERT YOUR FORKLIFT INTO A WORK PLATFORM!

Base and 4 inch side curbs are formed from one piece of heavy gauge sheet for extra strength. Slip resistant floor. Hinge gate with safety lock. Safety pins behind each fork. Safety chains on back to attach to forklift carriage. Meets or exceeds OSHA safety guidelines. Several accessories to choose from. Available in 40", 72", 96", and 120" lengths.

jesco® PARTITIONS



DIAMOND WIRE MESH ENCLOSURES

Time tested diamond mesh partitions have been preengineered for easy installation, give an unrestricted view into the cage, total air circulation, low initial cost and maintenance. Send us the footprint of your project and allow our engineers to assist you on your next project!



jescoGARD®

PROTECTIVE GUARD RAILING

These versatile guards act as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment.

Designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through. All hardware is included.



jesco WORK PLATFORM

Call 800-529-6697
Visit www.JescoOnline.com

jesco
— Since 1932 —

Jesco Industries, Inc.
Ph: 517-542-2903 Fax: 517-542-2501
PO Box 388 Litchfield, MI 49752-0388

µm) DLC coatings with a hardness of 8 – 80 GPa or higher (diamond is the hardest known material at 70–150 GPa). In addition, the desired coefficient of friction, surface finish and even application temperature can also be manipulated.

Because of the broad range of customizable attributes possible within the category, DLC coatings can play an important role in component engineering from the earliest steps of the design process.

“A coating is very much a sophisticated design element with highly engineered properties, says Dr. Florian Rovere of Oerlikon Balzers, a company that produces specialized DLC coatings for components in North America and all over the world. “The properties can be tailored very specifically to meet the performance requirements of different operating conditions. As such, coatings should not be a design afterthought but a critical element of how a component is initially engineered to fully utilize possibilities for maximum system performance.”

Hydrogenated amorphous carbon coatings
The most widely known DLC coating type, hydrogenated amorphous carbon (a-C:H), is most often applied through plasma-assisted chemical vapor deposition (PACVD). This deposition method causes a chemical reaction through plasma excitation and ionization that creates a coating hardness of approximately 15-30 GPa, which is on the lower end of the DLC family.

However, a hydrogenated amorphous carbon coating can be manipulated further through doping, which is a process of adding chemical elements to alter the performance properties. Silicon, oxygen or metals can all be used as doping elements to achieve different results.

When a lower coefficient of friction is required for mated or sliding parts, or to assist in releasing items from cavities or molds, silicon doping can be a suitable approach. This creates an a-C:H:Si coating with a coating hardness of 15-20 GPa. With silicon and oxygen- doping high electrical resistivity and chemical inertness can also be achieved.

The applications for this type of DLC coating include components subjected to sliding wear resistance or those that require a surface with greater lubricity. Silicon-doped DLC coatings are often applied to plastic injection molds and ejector pins, blow molding parts and semiconductor wafer handling equipment.

All of Oerlikon Balzers’ DLC coatings are biocompatible and food-safe which make them an ideal solution for medical instruments and food processing.

“One of our clients in food processing changed the recipe for the crackers they produced to make them healthier for the consumer,” explains Rovere. “They were using an a-C:H DLC coating to make the punches and dies more wear resistant, but it started to stick more after the recipe changed and created some issues. We were able to solve the problem with another option, BALINIT DYLYN, which is a DLC coating doped

Get Cool!

Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- large inventory
- low sound levels
- one-piece cast aluminum blades
- energy-efficient motors
- galvanized or stainless steel guards

KRENZ-VENT
quality engineered, performance tested

p.o. box 187 germantown, wisconsin 53022 262.355.2310 www.krenzvent.com

SAFETY RAILINGS MEET STYLE

ACCU-FIT

DON'T HIDE YOUR RAILINGS, EMPHASIZE THEM

- UNIFORM LINES
- NON-PENETRATING
- SLEEK APPEARANCE



TRADITIONAL STRAIGHT SERIES



DESIGNER CURVED SERIES



ARCHITECTURAL CURVED SERIES

Accu-Fit Fall Protection Railings from Safety Rail Company are the perfect solution for combining form and function with distinctive styling that compliments building architecture. Accu-Fit Railings offer clean sight lines, upscale styling, non-penetrating design and are assembled right on-site to ensure an accurate fit that maintains a uniform appearance throughout the installation.




PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720



NEED HELP WITH YOUR COMBUSTIBLE DUST?

DUSTCON SOLUTIONS

CONTACT THE DUST EXPLOSION EXPERTS

Dust Hazard Analysis Incident Investigation
 NFPA & OSHA Compliance Dust Testing

561.626.5556 www.dustconsolutions.com

with silicon and oxygen.


There are other coating architectures as well. When doped with tungsten, a more ductile tungsten carbide carbon (Me-C:H) coating is created that is ideal for gear applications, ball bearings and power transmission systems that are subjected to high surface pressure and where run-in of parts may be required. On the other hand, if a harder surface is required, Rovere says chromium can be used instead of tungsten.

Hydrogen-free DLC coatings

An alternative to hydrogenated DLC coatings is a family of hydrogen-free based coatings that provide even higher hardness along with a very low coefficient of friction.

These coatings can be applied in the most demanding environments, including high performance vehicles for high friction, wear and contact areas of the engine and valve train. The coating can be used

DO IT RIGHT. DO IT SMART. OUR SAFETY SOLUTIONS HAVE YOU COVERED



Safety Rail Company has helped thousands of EHS managers protect their organization's personnel. We have the comprehensive, common sense, OSHA compliant safety solutions to prevent falls and injury. Let's make your facility safe and help you protect your most valuable resources.

**PROTECT LIVES
BE OSHA COMPLIANT
CALL TODAY**

888-434-2720



 **SafetyRailCompany**
 Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM

OIL ALERT[®]

LIQUID LEAK DETECTOR

DETECT OIL LEAKS AND SPILLS...FAST!



- AVOID OPERATIONS SHUT-DOWN
- REDUCE ENVIRONMENTAL RISKS
- MINIMIZE COSTLY CLEAN-UP
- MONITOR OFF-SITE EQUIPMENT

APPLICATION AREAS

Elevator Pits	Hydraulic Test Stands
Oil Storage Locations	Wind Turbines
Diesel fuel storage tanks	Hydraulic Piping
Remote Site Monitoring	Coolant oil storage

Go to WWW.OIL-ALERT.COM
OR CALL: 1-800-533-6392
FOR MORE INFO!!

DORLEN Products Inc.
6615 W. Layton Ave. Milwaukee, WI. 53220



**MAKE EVERY STEP
A SAFE ONE**

Help Prevent

Flex-Tred[®]



SLIP AND FALLS
Stairmaster[®]



WOOSTER PRODUCTS



For more products & information
visit us on-line or call:
www.wooster-products.com
800-321-4936



SAFE
CUTTING JUST GOT
EASIER

Introducing the new SK-15
Disposable Concealed
Blade Safety Knife



SK-15

**NEW
2019**

**SAFETY
3
LEVEL**

NSF

**STAINLESS
STEEL
BLADE**

25% Less Pulling Force
Longer Blade Life*

Stop by NSC Booth #1626 for a **FREE** sample!

Learn more at OLFA.com

OLFA
BEST CUTTING TOOLS SINCE 1956[®]

©2019 Corelle Brands LLC OLFA is a registered trademark of OLFA Corporation, Japan, used under license by Corelle Brands LLC. Certified by the National Sanitation Foundation for commercial safety. *25% less pulling force compared to the leading competitor

BE SAFE. BE PREPARED. BE PROTECTED.



CoreTex
Products Inc.

See Our Full Line of Products at
www.CoreTexProducts.com

BOOTH NUMBER AT the NSC SHOW #3552

on the fuel injection system, camshaft, piston pins, valves, lifters and finger followers, where there is high contact pressure and sliding speeds. In addition to vehicles, the coating is ideal for use for hydraulic pump parts, mechanical seals and high-pressure valve components.

Most hydrogen-free coatings are applied using a method of physical vapor deposition (PVD) by arc evaporation which produces tetrahedral amorphous carbon, or ta-C. With a high level of tetrahedral bonds (mostly 50-60%), substantially higher abrasive wear resistance is achieved compared to a-C:H alternatives.

With a typical hardness up to 60 GPa, ta-C coatings are an excellent choice for components that are exposed to extreme operating forces over the long-term, including shafts and seals that must work in tribological environments where friction can cause them to overheat and fail.

The challenge historically with hydrogen-free coat-

ings and with ta-C deposition in particular, is that the application process produces small droplets that contribute to a rougher surface finish. As a result, coating manufacturers must complete secondary polishing processes to smoothen the surface. Because of its hardness, it is a time-consuming and expensive process that requires specialized equipment.

To address this concern, some hydrogen-free DLCs are produced using a filtered cathodic arc deposition method in which an electromagnetic filter removes most droplets. Although this creates a smoother surface, a secondary polishing step is still often required, and process times are longer for the same coating thickness.

When an even smoother surface is required, hydrogen-free DLC coatings can be applied utilizing a proprietary Scalable Pulsed Power Plasma (S3p) technology developed by Oerlikon Balzers. S3p is a unique type of High Power Impulse Magnetron Sputtering (HiPIMS) technology, which can be

33% of the world's workforce has uncorrected **vision problems** netting approximately **\$269 billion** USD in lost productivity

From the Leaders in Vision Screening,
New OPTEC® PLUS
Smart Vision Screener





- A comprehensive library of tests in software for occupational screening
- Customizable test protocols
- Electronic reporting for easy record keeping



STEREO OPTICAL

www.StereoOptical.com | info@StereoOptical.com
1.773.867.0380

Weather Resistant
Solid Brass Padlocks
Made to your specifications in the U.S.A.






HERCULES INDUSTRIES, INC.
Manufacturer of **HERCULOCK** Padlocks
P.O. Box 197 • Prospect, Ohio 43342
Toll Free: 1-800-345-2590
Fax: (740) 494-2274
www.HERCULOCK.com

The Link Between You and Your Assets

Providing the Who, What, Where, When, and Why of your tools, equipment, and training certifications

Your Secure Cloud-Based Platform

One location... so you can track, manage, and maintain your company's assets, equipment inspections, and training certifications.



RFID + Matching QR Code

Training Tracker Cards

TRUE-TTC's provide a simple, manageable solution to workplace training records and certification compliance. One card will hold any number of personnel training certifications, allow for real-time updating, notifications for retraining, and easy viewing of certifications via TRUE's app.



Flexible Adhesive Tags

Our tags provide a wide-range tagging option for your assets. The durable, flexible and weatherproof PET material combined with 3M Adhesive make it a universal option for equipment, tools, PPE, and mobile devices - along with many others.



seen as combining the advantages of the arc evaporation and sputtering methods. The very dense plasma yields hard coatings with high adhesion (at a level comparable to arc evaporation). At the same time, it results in smooth coatings due to the nature of the sputtering process, in which atoms are ejected from a target or source material.

The coating is applied at relatively low temperature, well below 200 degrees Celsius as compared to up to 350 degrees for other DLC coatings, which enables its application to a much wider panel of materials, effectively bonding to aluminum and steel substrates.

Hydrogen-free DLC coatings applied using the S3p process BALIQ CARBOS include tribological applications, high-end decorative parts, medical instruments and other small, precision tools.

At the top end of the scale are diamond coatings applied by a CVD process (chemical vapor deposition)

in both micro and nanocrystalline options that are rated at 80-100 GPa. Such coatings are mainly used for highly specialized tools for cutting demanding materials such as carbon reinforced fiber materials and do not offer the benefit of low friction any more.

Coating as a design element

Given the number of variables involved with DLC coatings, Rovere says it is important that OEMs better understand the range of options so they can select the ideal solution for the application while also taking into consideration the economics.

"Coatings are effectively an architecture of layers engineered to achieve specific properties," said Rovere. "A coating is built layer by layer focused on bonding, hardness and the surface. By modifying the properties of each, we can create an extremely wide range of surface solutions within the DLC coating family."

"By applying components with DLC coatings, not only is the surface hardness and durability increased, but essential parts are far less likely to fail, if at all," adds Rovere. "As a result, maintenance and unexpected downtime is drastically reduced, even in the most demanding environments with high friction, wear and contact pressure."

For more information on Oerlikon Balzers and their family of DLC surface solutions, please visit <https://www.oerlikon.com/balzers/us/en/portfolio/balzers-surface-solutions/> •



A division of Jesco Industries, Inc.



Call 800-529-6697 **Visit www.JescoOnline.com**

Jesco Industries, Inc. 950 Anderson Rd PO Box 388 Litchfield, MI 49252-0388



HERCULOCK

Hercules Industries, U.S.A.®

Solid Brass Padlocks

Hercules Industries, Inc. brings to you the most complete line of solid brass tumbler pin padlocks.

Our locks serve the needs of utilities, state and local governments, business, and agriculture. Precision crafted out of solid brass, our locks withstand inclement weather conditions, and are available with brass, stainless steel, and heat treated (HT) stainless steel shackles. Locks are available keyed alike or different, masterkeyed, and grand masterkeyed. We also can key our locks to most popular keyways (ie. Master, Corbin, Yale, Best, and others).

We are committed to competitive prices, fast delivery, and top quality.



HERCULES INDUSTRIES, INC.
Manufacturer of HERCULOCK Padlocks
P.O. Box 197 • Prospect, Ohio 43342
Toll Free: 1-800-345-2590
Fax: (740) 494-2274
www.HERCULOCK.com



The Standard for Vehicle-Specific Training for over 40 Years
Comprehensive, Flexible and Reasonably Priced

We Solve Your Training Challenge

Specializing in classroom, online and self-instruction driver training programs. Our Coaching Series® is used by thousands of corporations, hospitals, schools, emergency departments and other groups to meet their training needs.

We offer vehicle-specific programs for:

- Lift trucks
- Ambulance, fire and police vehicles
- Cars, vans, buses
- Trucks (straight, beverage, route sales, snowplow, refuse, utility, 18-wheel)

Our highly acclaimed **Coaching The Lift Truck Operator® 3** program is used nationwide by organizations of all sizes.



We also offer Train The Trainer sessions for your instructors at your facility.

Contact us at 802.545.2082 or info@coachingsystems.com to discuss how our Coaching Series® will work for your organization.

Visit our website for full course descriptions: www.coachingsystems.com

Mention code SFZ2020 to receive a discount on your first order.

Coaching Systems, LLC | Parker, CO | 800.354.9099 | www.coachingsystems.com



www.wisesafetyenv.com

Experience the
WISE Advantage™

The new 3M™ SecureFit™ Safety Helmet is a climbing-style helmet that delivers all-day comfort without sacrificing security.



Shown unvented with reflective stripes. Other colors available.



- **MODELS:**
 - Vented
 - Unvented
 - Reflective Stripes
- Pressure Diffusion Technology
- Accessory Slots
- Elastic Band Clips
- Accessories: Short Visor, Headgear, Sweatbands, Stripe Kit



St. Louis 800-777-7347
Boston 877-257-3263
Denver 800-677-7347
Houston 800-234-2377
Jacksonville 877-655-7347

Kansas City 800-888-7347
Little Rock 800-901-4678
Louisville 502-637-4337
Salt Lake City 800-559-7347

Guard-Safe Guarding

Your Total Guarding Solutions Company



Guard-Safe • P.O. Box 275 • Sibley, IA 51249 • (712) 754-4838
sales@guardsafeguarding.com | guardsafeguarding.com

OSHA and MSHA Compliant Safe Guarding | Machine Safe Guarding Assessments and Safety Audits
IASHEP Learning Partner – Safety Training Courses | Engineered custom guarding made in the USA



Seconds Matter in Times of Emergency

Emergency Shower and Eye / Face Wash / Decontamination Booth



After exposure to a hazardous substance, any delay, can result in serious injury. OSHA & ANSI require that emergency shower is to be located within 10 seconds walking time from the hazardous site location. Delivering immediate full body shower. Eye/ face wash with positive stay open valves.

Industrial Applications Emergency Drench Shower Booth unit is equipped with pull rod activated overhead drench shower & rear wall mounted eye/face wash. **Cat No. 16601**

Laboratory Applications Emergency Drench Shower Booth same specs as above except with finished exterior side panels. **Cat No. 16604**



www.emergencyshowerbooths.com

HEMCO
Emergency Safety Showers

For Prompt Service

Call 800-779-4362

About Safety Through Engineering

Safety Through Engineering, Inc. is a Structural and Safety Engineering, Expert Witness, Safety Training and Consulting firm with the reputation as a pioneer of innovative design and safety solutions. For over 35 years we have provided cutting-edge design services by expanding traditional engineering approaches.

At STE, we incorporate new concepts and technology throughout our projects with 3D BIM, finite element analysis, fabrication drawings and a plethora of services. Fueled by a forward thinking team, STE serves a superior client base with innovative industry solutions.

Why Choose Us

Uniquely qualified engineers, construction specialists, fall protection experts and advanced safety trainers, STE's team of professionals advocate solutions based on practical experience, emerging technology, customized education and specialized training.



Phone: 937-964-1900

E-mail: info@ste4u.com



Obtaining Sustainable Safety®
in Design

“Our approach to any design must consider all possible outcomes, especially the safety of the individuals for whom and through whom our designs are intended.”

*Mike Wright
President, STE Inc.*



Engineering

STE is recognized for safe, sustainable, cost effective designs and analyses

Training

Knowledge facilitates wisdom, which facilitates innovation



Safety Consulting

Efficiency is reached with usable solutions that synchronize safety and engineering

Expert Witness

Let us help you understand and untangle the complexities



Hemco Introduces Ecoflow Line of Fume Hoods

EcoFlow Fume Hoods are offered in 24", 30", 36" & 48" wide models, and are an economical solution for laboratories where space is limited. The hood size makes it ideal for additional hood space applications and student workstations. Because of the reduced size, this hood requires less exhaust air to be drawn from the lab. Fully adjustable sliding sash is made of 3/16" thick shatter proof Plexiglas and is fully adjustable to allow easy access into the fume chamber. "Easy-Touch" operation allows for precise positioning. A full selection of accessories and components including work surfaces, base cabinets, plumbing and electrical services are available. www.HEMCOCorp.com or call 1-800-779-4362 •

UPGRADE YOUR

BLADE

X-Series Fiberglass-Reinforced Snap-Blade Utility Knives

- Jobsite tough
- Anti-slip grip
- Extra sharp black blades



LA-X 18mm $\frac{3}{4}$ "



XH-1 25mm



MXP-AL 18mm $\frac{3}{4}$ " **NEW 2019**

Learn why *Nothing Cuts Like an OLFA*
at STAFDA Booth #1529



Rust Proof Chemical Resistant Corner Canopy Hoods

HEMCO Corner Canopy Hood is the solution to maximizing your wasted space in corner areas. Designed to capture and exhaust corrosive vapors, heat steam, and odors when mounted over areas that have water baths, hot plates or other lab equipment. The canopy hood is molded one piece seamless of advanced composite resins that have superior chemical and corrosion resistance, are flame retardant and lightweight for a NO RUST guarantee. The corner canopy can either be wall mounted or suspended from the ceiling and can be equipped with optional side wall panels to prevent cross drafts from affecting the containment of fumes. Standard wall and island canopy hoods are also available both in composite resin and stainless steel. Visit HEMCO at www.hemcocorp.com/canopy.html or call (800) 779-4362 •

OMEGA SAFETY BARRIERS & GUARDS



SAFETY BARRIERS



R-U-F PORTABLE BARRIERS



PIPE GUARDS



COLUMN GUARDS



HANDRAILS & GATES



RACK GUARDS



CORNER SHIELDS



QUIK-STEP STAIRS



TRAK-SHIELD



BOLLARDS

Downspout Pipe Guards HDPE Bollard Covers and many other safety products available.

www.omegaindl.com | 800-521-8272

Omega Industrial Products - The Nation's Leading Supplier Of Safety Barriers & Guarding Products



MICROFLOW I RUST RESISTANT SELF CONTAINED WORKSTATION

The MicroFlow I Workstation is a ductless carbon filtered workstation equipped with activated carbon filtration, designed to collect small amounts of non-hazardous fumes and odors. The workstation is self contained and can be easily moved from station to station. Completely self contained with integral recessed work surface to contain spills. Clear hood surround with safety viewing sash for user. Sash can be conformed for use with a microscope. Variable speed fan control provides the option of high and medium speeds, or low flow for sensitive operations. Operates on 115v AC, or 230v International, conforms to UL, CSA, & CE requirements. Electrical cord port exits left side. Easy change out of used filter, recommend filter change every 60-90 days. Filter life varies with usage. Call 800-779-4362 or visit www.HEMCOcorp.com/mfi.html •

CoreTex[®]

Products Inc.

BE SAFE. BE PREPARED. BE PROTECTED



SunX50
sunscreen lotion

SunX30
sunscreen

SunX
Multi-Purpose Foil Pack

BugX30
INSECT REPELLENT

BugX FREE
INSECT REPELLENT

IvyX
PRE-CONTACT SKIN SOLUTION

IvyX
POST-CONTACT SKIN CLEANSER

Sun X SPF 50 Broad Spectrum Sunscreen

SPF 50 Broad Spectrum Active Sunscreen is tough enough to stay on during the most rigorous conditions. Keeping everyone protected while working in the sun.

Sun X SPF 30 Broad Spectrum Sunscreen

Our formula offers equal UVA and UVB protection from the sun's harmful rays and is rated water resistant w/maximum duration time allowed by FDA (80 min).

Sun X SPF 30 Broad Spectrum Multi-Pack w/Dry Towelette

A new, innovative and FDA compliant single-dose foil package design. This packaging offers a convenient way to apply sunscreen; the dry towelette is intended to absorb sweat, dirt, sunscreen and other substances.

Bug X 30 Insect Repellent

With 30% DEET it is effective up to 7+ hours of protection against mosquitoes, ticks and other insects carrying diseases like Zika virus, West Nile virus and Lyme disease.

Bug X FREE

A natural, DEET-FREE Insect Repellent providing protection against biting insects. Safe to use while wearing Fire Retardant (FR) clothing.

Ivy X Pre-Contact Skin Solution

Acts as an invisible barrier to help protect against outdoor irritants.

Ivy X Post-Contact Skin Cleanser

Effective in assisting in the removal of poisonous plant oils (Urushiol) commonly found in Poison Ivy, Poison Oak & Poison Sumac.

YOUR SKIN PROTECTION SOLUTION!



Order Toll Free: 1-877-684-5774 or Fax 1-661-833-2753 • www.coretexproducts.com



See Our Full Line of Products at www.CoreTexProducts.com

Ad Index

Company	Pg.	Website
AGF	3	www.collectandrain.com
Coaching Systems LLC	18	www.coachingsystems.com
Columbia Southern	5	www.columbiasouthern.edu/safetyceu
Coretex	13, 27	www.coretex.com
Dorlen Products	13	www.waternalert.com
Dustcon	12	www.dustconsolutions.com
Emars Inc	28	www.emarsinc.com
Guard Safe Guarding	18	www.guardsafeguarding.com
Hemco	19	www.emergencyshowerbooths.com
Herculock	14, 17	www.herculock.com
Jesco	9, 16	www.jesconline.com
Krenz Vent	10	www.krenzvent.com
LTBL	IFC	www.ltbltech.com
Olfa	13, 23, IBC	www.olfa.com
Omega	1, 25	www.omegaindl.com
Safety Rail Co	2, 11, 12, BC	www.safetyrailcompany.com
Safety Through Engineering	21	www.ste4u.com
Stereo Optical	14	www.stereooptical.com
True Asset Tracking	15	www.trueassettracking.com
Wise Safety	18	www.wisesafetyenv.com
Wooster Products	13	www.wooster-products.com



On Site Employee Verification

Bob Put In 9 Hours And 3 Minutes Of Work On Tuesday.
Stop Guessing. Start Verifying!

Always Know Who, When and Where with eMars Compliant Client and RFID
 Be Davis - Bacon Compliant In Minutes • Users Report 85% Savings of Money and Time • Alerts You of 30 Compliance Errors

Ph. 480-595-0466

Compliant Client by eMars

eMarsinc.com

Safety experts trust OLFA to provide ***Sharply Engineered Solutions*** to meet every day needs

SAFETY
3
LEVEL

Concealed Blade



SK-10 | #1096854

SAFETY
2
LEVEL

Fully-Automatic



SK-6 | #1060595

SAFETY
1
LEVEL

Semi-Automatic



SK-4 | #9048

NEW
2019



SK-15 | #1136359

NSF

STAINLESS
STEEL
BLADE



SK-8 | #1077171



SK-9 | #1086095



SK-7 | #1077174



SK-14 | #1134049

NSF

STAINLESS
STEEL
BLADE

METAL
DETECTABLE



Safe cutting just got easier with the new OLFA SK-15 Concealed Blade Safety Cutter. This compact knife has an ultra-sharp stainless steel blade in a protected channel for ultimate safety. The blade uses 25% less pulling force per cut for longer blade life.

OLFA
BEST CUTTING TOOLS SINCE 1956®

Learn more at olfa.com/safety

©2019 Corelle Brands LLC OLFA is a registered trademark of OLFA Corporation, Japan, used under license by Corelle Brands LLC. Certified by the National Sanitation Foundation for commercial safety.

OSHA COMPLIANT ROOF SAFETY IS SMART BUSINESS

OUR SAFETY SOLUTIONS HAVE YOU COVERED



ACCESS LADDER SAFETY



ROOF HATCH SAFETY



MOBILE RAILINGS



PERMANENT RAILINGS



WARNING LINES



SKYLIGHT SAFETY

Safety Rail Company is your one-stop destination for OSHA compliant safety solutions to prevent falls and injury. Every product is designed for simple installation and flexible integration into any commercial or industrial application. All of our products work together to create a comprehensive fall-prevention solution.



**PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.**



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720