

January 2022

SAFETYZONE MAGAZINE



Meet STEP
Snowmelt™ : The
Future of Nature
& Engineering

**Winning the
War on Fog**

Why Laser Lines and Projected Signs? **Because, You're Sick of Painting & Taping!** **NEW SOCIAL DISTANCING GOBO Images For LightCop.**



DOCK RIGHT
LASER DOCKING TECHNOLOGY
Dock Right Laser System
LOSS PREVENTION FOR THE 21ST CENTURY
www.LTBLtech.com

LTBL TECH "The Original"
LIGHTCOP
- Loss Prevention For The 21st Century -




www.LTBLtech.com

615.593.0510

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance


SAFETYRAILCOMPANY.COM | 888.434.2720

PG 6	Meet STEP Snowmelt™: The Future of Nature & Engineering
PG 10	Shopserve® Microfiber Towels for Cleaning On-the-Go
PG 14	Winning the War on Fog
PG 20	Ad Index



Pg 14


Get Cool!



Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- large inventory
- low sound levels
- one-piece cast aluminum blades
- energy-efficient motors
- galvanized or stainless steel guards



KRENZ-VENT
quality engineered, performance tested

pub. box 187 germantown, wisconsin 53022 262.355.2310 www.krenzvent.com

SAFETYZONE MAGAZINE

Vol. 22 Issue 1

PRESIDENT

Glen Hobson
205-441-5591
glen@handfmedia.net

DIRECTOR OF ADVERTISING

Jake Dimenna
205-624-2182
jake@handfmedia.net

DIRECTOR OF BUSINESS

Butch Cole
205-624-2180
butch@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@handfmedia.net

EDITOR

Brandon Greenhill
brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill
jacklyn@handfmedia.net

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.safetyzonemagazine.com
info@safetyzonemagazine.com



New Construction Products™ is published twelve times a year on a monthly basis by H & F Media, Inc. *New Construction Products™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

New Construction Products™ is distributed to qualified owners and managers in the construction industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to
H & F Media, Inc. P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA

jescoHYDRATILT™ DUMPERS



HYDRAULICALLY CONTROLLED HOPPERS

These units are ideal where control of the quantity of material dumped or the rate of discharge is critical. They operate off the hydraulic system of your forklift and come complete with male quick-disconnect hoses for easy attachment to the forklift.

jesco® PARTITIONS



DIAMOND WIRE MESH ENCLOSURES

Send us the footprint of your project and allow our engineers to assist you on your next project!

Division 10 22 13.



CONVERT YOUR FORKLIFT INTO A WORK PLATFORM!

Available in 40", 72", 96", and 120" lengths.

jesco® WORK PLATFORM



jescoGARD®

PROTECTIVE GUARD RAILING

These versatile guards act as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment. Bolted rails are designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through. Lift-out rails shown. All hardware is included.




jesco®

— Since 1932 —

Jesco Industries, Inc.
Ph: 517-542-2903 Fax: 517-542-2501
PO Box 388 Litchfield, MI 49252-0388

Call 800-529-6697
Visit www.JescoOnline.com



Custom Insurance for the Construction Industry

With XINSURANCE, You Get...

- All-In-One Approach
- Agent Friendly
- Limits up to \$10MM
- Property & Casualty
- Professional Liability
- Commercial Auto Liability
(available in most states)
- Products Liability
- Exclusions/Gaps in
Current Coverage & More

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is 0H93938.

Ask us
about our new
coverage option –
Communicable
Disease
Liability



To get your free
custom insurance
quote for the
construction industry,
visit www.xinsurance.com

You can also contact
Logan Fitzgerald directly at
801.304.5562 or
loganf@xinsurance.com

XINSURANCE

First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square®** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square®** Products!

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



Meet STEP Snowmelt™ : The Future of Nature & Engineering

STEP Snowmelt is the radiant heating solution for a safe and easy winter, clearing driveways, walkways, patios, and roofs of snow and ice with low energy cost.

Those expecting heavy snowfall can cross shoveling snow off of their to-do list this winter with STEP Snowmelt. As the premier radiant heating solution for driveways, patios, roofs, and gutters, STEP® Snowmelt features the same innovative self-regulating heating elements that put STEP HEAT on the map.

STEP Snowmelt is designed to keep residential and commercial driveways, sidewalks, walkways, ramps, patios, and more, free from snow and ice. STEP Snowmelt operates on 24 to 48 volts and is often connected to a power supply, but can also be operated by solar or wind power. This patented, low-volt-

A large, two-story house with a snow-covered roof and a snowy lawn under a blue sky. The house has a mix of wood siding and stone masonry. The roof is covered in a thick layer of snow, and the lawn is also covered in snow. The sky is a clear, bright blue. The house has several windows, some with white frames. The overall scene is a peaceful winter day.

FEEL THE FUTURE OF NATURE + ENGINEERING

age radiant heating mat (available in 9 or 12" wide sizes) is made from durable, thin (3/64") elements comprised of semi-conductive, self-regulating polymer. This self-regulating technology (PTC nanotechnology) allows the heating elements to heat with maximum power in cold environments and use less electricity as they warm up. This minimizes power consumption and reduces snow melt costs by 30 to 60% compared to conventional cable systems. STEP HEAT engineers customize the ideal snowmelt system based on their customer's unique project needs. STEP Snowmelt elements are installed under the pavement of walkways, driveways, and patios.

STEP Roof Deicing is designed to solve problems with snow buildup and ice damming on roofs, valleys, eaves and gutters for commercial and residential buildings. The patented low voltage heating element STEP Roof Deicing is a durable, yet thin (3/64") element. This 3", 9", 12" wide element is made of a ho

mogeneous, semi-conductive polymer, which by nature is self-regulating. The heating mat is designed to be installed underneath roof shingles. The lightweight heating element is delivered in a roll and can be cut to size and field wired on the job site for easy installation.

STEP Snowmelt systems can be customized according to regional temperatures and how much snow-fall they receive. STEP Snowmelt installations can be designed with different “snow-free ratios.” Snow-free ratio 0 melts snow after it has already fallen, snow-free ratio 0.5 melts half of the snow as it falls, and snow-free ratio 1 melts all snow while it is falling. STEP HEAT works with customers to determine which system best meets their needs. The elements come enclosed in vinyl and should be installed under pavement or concrete, placed on top of gravel and compacted sand, and secured so that they do not move around when pavement or concrete is poured on top of them.

“With STEP Snowmelt, homeowners don’t have to worry about clearing snow and ice from their driveway and can be assured our self-regulating technology will do the job while lowering energy costs,” said STEP HEAT President, Monica Irgens. “We are proud to offer the future of nature and engineering with innovative heating solutions for a safer, more comfortable winter season.”

For more information about STEP® Snowmelt and other radiant heating solutions by STEP HEAT™, visit www.stepheat.com/snowmelt •



DIAGNOSE YOUR OWN EQUIPMENT.

OHV Pro

Vehicle Diagnosis

Big updates on
CASE, New Holland, JCB
& John Deere

The **OHV Pro** is our answer to folks needing a stand alone, full featured scan tool for working on Agricultural, Construction, Mining and other Off-highway applications. Brands such as John Deere, Volvo, Caterpillar and CASE are covered. Perform bi-directional controls on hydraulics and special functions, such as injector coding, DPF regens and VGT calibrations.

8" Android Tablet | IP65 Rated | Bluetooth® Wireless | Easy Updates | Remote Technician

WWW.CANDOINTL.COM

CanDo
INTERNATIONAL, INC.

909/CANDO-11(226-3611)



SP PRODUCTS, INC.
Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS

We're Proud to be the Electricians' Friend for Over 50 Years!

Qwik Duct Safer Better Faster

HDPE CUSTOM TEMPLATES
In Any Configuration Required

IP3b

Patent Pending



PVC Offset

Sizes 1/2" thru 6"
Meets Flexible Mandrel Test Requirements

Bore Spacers

Sizes 1/2" thru 6"
Roll assembled conduit into caissons and under obstructions


IP2



IP1



Patent Pending



IP13A-F

Conduit Transition Couplings



PVC Schedule 40 & 80
Transitions in Less Than 5 Minutes

PATENT PENDING



IP15

PVC/PVC

PVC/EMT

PVC/Rigid

PVC/Liquidite

PVC/Stainless

PVC/Alum

PVC/Flex

IP14a

End Bell Adapter

Schedule 40/80 PVC



PATENT PENDING

Save Cost on the Rigid Nipple, Tape & Labor
Use for Entire Job - Not Just for Repair

1 Piece Reaming Bit

1/2" thru 6"
 Schedule 40/80

Plus More Being Invented for SAFER BETTER FASTER Jobs . . . Call With Your Ideas!



SPProducts.com 800-233-8595 info@SPProducts.com

Shopserve® Microfiber Towels for Cleaning On-the-Go



New dispenser puts durable microfiber towels where needed most

Take microfiber cleaning and detailing on the go with Hospeco Brands Group's Shopserve® microfiber towels, now available in a convenient dispensing box. These thin but durable 12" x 12" towels are perfect for quickly removing dirt, dust, and bacteria from surfaces requiring little to no chemicals. And now, with the convenient dispensing box, microfiber cleaning towels can be kept in areas where cleaning up or wiping down surfaces is a more constant undertaking, assuring maximum efficiency and efficacy.

Shopserve® microfiber towels are economical enough to be use as a disposable towel or can be laundered for limited reuse.

Shopserve microfiber cloths are made of polyester and polyamide. The fibers are more than 100 times smaller than a human hair, creating a larger volume of fibers touching a surface compared to traditional cotton cloths. The increased surface area makes Shopserve microfiber significantly more absorbent, seemingly lifting and trapping dust and dirt into their fiber web. Further, they are non-linting, making them ideal for cleaning and polishing applications. They also excel at absorbing grease and oil.

These general-purpose cleaning and detailing towels are suitable for applications as diverse as building services and maintenance, industrial, manufacturing, automotive, healthcare, agriculture, and more.

Shopserve is offered in a variety of colors including red, yellow, green, and blue to help prevent cross contamination and to indicate different chemical use. These machine washable, colorfast, edgeless towels are non-abrasive and won't scratch surfaces.

For more information, visit www.hospeco.com/product/8410 •

WP MAKE EVERY STEP
A SAFE ONE

Help Prevent

Flex-Tred®

SLIP AND FALLS
Stairmaster®

WOOSTER PRODUCTS

For more products & information
visit us on-line or call:
www.wooster-products.com
800-321-4936

MADE IN
U.S.A.
PRODUCT

BURCH
MANUFACTURING COMPANY, INC.
Family Owned Since 1882

Agricultural Weather Protection/ Heat Houser: An accessory for tractors that channels heat from the engine back to the operator.

Industrial Weather Protection: 3S Kab King, Heat Tube, HCl Heat-Houser
An accessory for industrial machinery that protects operator from the element

Kolaps-A-Tanks: Portable water tanks that are NSF/ANSI Standard 61 approved for contact with drinking water.

Fire Kolaps-A-Tanks: Collapsible water tanks used in rural areas.

Decontamination Booths: DB85 used in hazardous incidents.

Vehicle Overload Signs / Safety Flags: Used in the trucking industry.

If a product you need can be made of canvas or vinyl coated nylon, chances are we can sew it, heat seal it, or silkscreen it.

Burch Manufacturing Company, Inc.
618 1st Avenue North • Fort Dodge, Iowa 50501
Phone: 515-573-4136 • Fax: 515-573-4138
burchmfg@frontiernet.net • www.burchmfg.com

SLIP AND FALL PREVENTION!

NEW!

TESTING DYNAMIC COEFFICIENT OF FRICTION (DCOF) ASM 925

DIGITAL ASM 825A SLIP METER

WET AND DRY TESTING
CALIBRATES TO ANSI/NFSI B101.1

SAFE FLOORS MAY INCREASE PRODUCTIVITY
AND WILL CERTAINLY REDUCE LOSSES

SCOF RESULTS WITH AN EASY-TO-USE
PORTABLE FLOOR FRICTION TESTER

PH: 941-681-2431 | FAX: 941.681.2487

AMERICAN SLIP METER®

WWW.AMERICANSLIPMETER.COM

Since 1993



**WE HAVE THE
ROPE TO GET
THE JOB DONE.**



BUCCANEER
rope company
Providing strength & stability, with a twist.

800-358-7673

www.bucrope.com

OMEGA

SAFETY BARRIERS & GUARDS



SAFETY BARRIERS



R-U-F PORTABLE BARRIERS



**PIPE
GUARDS**



**COLUMN
GUARDS**



**CORNER
SHIELDS**



BOLLARDS




HANDRAILS & GATES



RACK GUARDS



QUIK-STEP STAIRS



TRAK-SHIELD

**Downspout Pipe Guards, HDPE Bollard Covers
and many other safety products available.**

www.omegaindl.com

800-521-8272

**Omega Industrial Products - The Nation's Leading Supplier
Of Safety Barriers & Guarding Products**

**Strong
ALMAG 535
Material**

4-Conduit Block Support From Only One Rod



PATENTED

**Threaded Block OR Threadless Block
for Vertical Rod for Vertical Rod**

For Vertical Rod 1/4" or 3/8"

Specify bolt size 1/4" or 3/8" for the conduit clamp

ST=(side thread) 1/4" or 3/8"

**Standard
Slots 1/4"**

**3/8" Available
Upon Request**



*Bolt Hex
Head Slides
into Slot*



NON-THREADED BLOCKS

1/4 inch rod = Cat# TBT25-NT-ST25
1/4 inch rod = Cat# TBT25-NT-ST38
3/8 inch rod = Cat# TBT38-NT-ST25
3/8 inch rod = Cat# TBT38-NT-ST38

THREADED BLOCK

1/4 inch rod = Cat# TBT25-ST25
1/4 inch rod = Cat# TBT25-ST38
3/8 inch rod = Cat# TBT38-ST25
3/8 inch rod = Cat# TBT38-ST38

**Support
Up Thru 4
Conduits With
1 Support**



*Install larger conduit
overhead with our
patented 4 conduit
threaded support
block.*

**New
Block**

**AVAILABLE
SOON
For Vertical Rod
1/4" or 3/8"**



**4 threaded holes on
4 sides (no slots)
Specify bolt size 1/4" or 3/8"
required for the conduit clamp**

PATENTED

FAST & EASY TO INSTALL

1 Insert Threaded or Threadless Rod

2 Drop Hex Heads into Slots to Attach Minis

3 Attach Minis Tighten Nuts

4 Minis Attached Ready for Conduit to be Inserted

5 Insert Conduit Tighten Nuts and Bolts on Minis

Customer must satisfy all codes and owners' specifications.

SP PRODUCTS, INC
Productivity and value thru ideas



**PATENT PENDING
PATENTED**



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

730 Pratt Boulevard • Elk Grove Village, IL 60007
P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595
E: info@spproducts.com • www.spproducts.com

IP19-20

Winning the War on Fog

Brass Knuckle's proprietary coatings create a new world standard for anti-fog lenses

Lenses can fog in almost every application. Going from cool to warm air. Going from outdoor to indoor environments. In high humidity. During strenuous work that causes perspiration. Even warm breath in a cool room or the heat rising from a motor can cause lenses to fog.

Fog means double trouble. First, fog reduces visibility. That's a hazard in itself. Second, fogged-up lenses make workers want to remove their safety glasses. No eye protection equals "out of compliance" — and, most importantly, in those vulnerable seconds or minutes, eyes are exposed to potential hazards where eye injuries can occur.

Before a U.S. anti-fog standard existed, one seller of worker protection, Brass Knuckle, decided it was important to measure its eye protection products by a standard. The company began with EN 166/168,

the European standard and the most stringent anti-fog standard in the world at the time. Then Brass Knuckle went beyond it. Voluntarily.

The result is Brass Knuckle's proprietary anti-fog lens coating, which uses a groundbreaking technology that delivers better, longer-lasting fog-free protection than competing products. It was then, and remains, the toughest anti-fog standard in the world, exceeding ANSI and EN standards. The result is two coatings, BK-Anti-FOG and BK-Anti-FOG+, that provide extreme anti-fog performance and improve worker safety and productivity.



It's not always romantic...

Make sure your power equipment is fully operational.

With over 35 years experience, Cadick Corporation uses state-of-the-art software and standards of IEEE, ANSI, NFPA, and other applicable industry regulations to develop customized engineering studies for your facility.

- Extensive analysis & reporting
- Fabrication & installation
- Comprehensive electrical safety audits
- Engineering studies
- Electrical safety services
- Training

The benefits of using Cadick engineering services include:

- Safe and efficient operation of the electric power system
- Reduced fees and fines incurred due to poor power factor or other such problems
- Reduced power bills
- Compliance with regulatory standards such as OSHA and NEC
- Protective device settings that provide the most optimal mix of properly rated & calibrated protective equipment
- Enhanced safety of personnel for arcing events



Call 800-931-8573 or visit
cadickcorp.com for more information.



Brass Knuckle BK-Anti-FOG is their original proprietary anti-fog coating that offers excellent performance and a long-lasting, fog-free view under even the most demanding hot and humid conditions. Washable and durable, BK-Anti-FOG formulas allow lenses to resist fog longer than competitors' anti-fog treatments, and that extra time is what is needed for lenses to come into balance with temperature fluctuations, the principal cause of lens fogging.

Brass Knuckle BK-Anti-FOG+ is their proprietary premium anti-fog coating that delivers

anti-fog protection that exceeds the EN standard by 4400 per cent — or 44x the best standard in the world! Where competitive anti-fog coatings protect against fogging for two minutes, best-in-class BK-Anti-FOG+ protection lasts more than six minutes when tested under the EN standard. In the world of eye protection, it's as good as anti-fog protection gets.

"We could apply any manner of anti-fog chemical to the lens and say we have anti-fog protection. Instead, we developed our own higher anti-fog standard and then hold our products to that

standard," said Jeff Cullman, vice president of Brass Knuckle. "We offer extreme protection against fogging, a huge step forward for ensuring compliance."

BK-Anti-FOG and BK-Anti-FOG+ are available on a wide variety of Brass Knuckle protective eyewear, serving various fits and functions. For more information, visit www.brassknuckleprotection.com/brass-knuckle-anti-fog-technologies/ •


About Brass Knuckle

Brass Knuckle® grew out of a partnership with one of North America's oldest dedicated safety product supply companies. From product inception to quality control, we manage every aspect of product development to ensure ergonomics, protection and cost efficiency, maximizing compliance and safety. Brass Knuckle is a member of the Volk Enterprises family of companies, whose international strategic alliances with documented professional supply partners allow for a full range of safety products, programs and services to clients across the globe. For more information, contact Brass Knuckle® Safety Products, 1335 Ridgeland Parkway, Suite 120, Alpharetta, GA 30004. Phone: 770-674-8930. www.brassknuckleprotection.com

The advertisement for Jesco Industries features a collage of safety products including a wire mesh enclosure, a yellow safety cage, a yellow safety stand, and a yellow safety rack. The Jesco logo is prominently displayed at the top left, with the tagline "Since 1932". To the right of the logo, the company's address is listed: "Jesco Industries, Inc. 950 Anderson Rd PO Box 388 Litchfield, MI 49252-0388". A "ProGMA" logo is also present, with the text "PROTECTIVE GUARDING MANUFACTURERS" and "Safer by Design". A circular seal on the right side of the ad reads "Jesco does it best!". At the bottom, the website "JescoOnline.com" and the phone number "800-529-6697" are displayed.

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720

jescoHYDRATILT™ DUMPERS



HYDRAULICALLY CONTROLLED HOPPERS

These units are ideal where control of the quantity of material dumped or the rate of discharge is critical. They operate off the hydraulic system of your forklift and come complete with male quick-disconnect hoses for easy attachment to the forklift.

jesco® PARTITIONS



DIAMOND WIRE MESH ENCLOSURES

Send us the footprint of your project and allow our engineers to assist you on your next project!

Division 10 22 13.



jescoGARD®

PROTECTIVE GUARD RAILING

These versatile guards act as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment. Bolted rails are designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through. Lift-out rails shown. All hardware is included.



CONVERT YOUR FORKLIFT INTO A WORK PLATFORM!

Available in 40", 72", 96", and 120" lengths.



jesco® WORK PLATFORM


Call 800-529-6697
Visit www.JescoOnline.com

jesco
— Since 1932 —[®]

Jesco Industries, Inc.
Ph: 517-542-2903 Fax: 517-542-2501
PO Box 388 Litchfield, MI 49252-0388

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720

Ad Index

Company	Pg.	Website
American Slip Meter	11	www.americanslipmeter.com
Bucaneer Rope	12	www.bucrope.com
Burch Mfg	11	www.burchmfg.com
Cadick	15	www.cadickcorp.com
Can Do Intl	8	www.candointl.com
Core Safety	IBC	www.coresafety.com
eMars	20	www.emarsinc.com
Jesco	3, 16, 18	www.jescoonline.com
Krenz Vent	2	www.krenzvent.com
LTBL	IFC, BC	www.ltbltech.com
Omega	12	www.omegaindl.com
Randll	5	www.randll-inc.com
Safety Rail Co	1, 17, 19	www.safetyrailcompany.com
SP Products	9, 13	www.spproducts.com
Wooster Products	11	www.wooster-products.com
XInsurance	4	www.xinsurance.com

TAKING CHANCES WITH DAVIS - BACON MANUAL PAYROLL COMPLIANCE?

EACH WEEK, EVERY CHECK HAS 30+ WAYS TO BE A LOSING PROPOSITION.



NONE OF OUR 15,000+ CLIENTS HAS EVER HAD A LEGAL COMPLIANCE ISSUE... NOT ONE.

480-595-0466



emarsinc.com

Be Davis-Bacon Compliant In Minutes




Online
training

**E-Learning
Critical for
Keeping Your
Organization
Trained During
COVID-19**

CORE
SAFETY GROUP

Why Laser Lines and Projected Signs? Because, You're Sick of Painting & Taping!

NEW SOCIAL DISTANCING GOBO Images For LightCop.



www.LTBLtech.com

615.593.0510