

SAFETYZONE MAGAZINE

Tips for
Longer, Safer
Power Tool
Battery Life

Vader Combo for Ultimate in
Anti-Fog and Full-Face Protection





Online
training

CORE
SAFETY GROUP

**E-Learning
Critical for
Keeping Your
Organization
Trained During
COVID-19**

jescoHYDRATILT™ DUMPERS



HYDRAULICALLY CONTROLLED HOPPERS

These units are ideal where control of the quantity of material dumped or the rate of discharge is critical. They operate off the hydraulic system of your forklift and come complete with male quick-disconnect hoses for easy attachment to the forklift.

jesco® PARTITIONS



DIAMOND WIRE MESH ENCLOSURES

Send us the footprint of your project and allow our engineers to assist you on your next project!

Division 10 22 13.



CONVERT YOUR FORKLIFT INTO A WORK PLATFORM!

Available in 40", 72", 96", and 120" lengths.

jesco® WORK PLATFORM



jescoGARD®

PROTECTIVE GUARD RAILING

These versatile guards act as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment. Bolted rails are designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through. Lift-out rails shown. All hardware is included.



Call 800-529-6697
Visit www.JescoOnline.com

jesco
— Since 1932 —[®]

Jesco Industries, Inc.
Ph: 517-542-2903 Fax: 517-542-2501
PO Box 388 Litchfield, MI 49252-0388

PG 4	Vader Combo for Ultimate in Anti-Fog and Full-Face Protection
PG 6	Tips for Longer, Safer Power Tool Battery Life
PG 14	JLG Establishes Developmental Partnership with RE2 Robotics
PG 20	Ad Index



Pg 14


Get Cool!



Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- low sound levels
- energy-efficient motors
- large inventory
- one-piece cast aluminum blades
- galvanized or stainless steel guards



KRENZ-VENT
quality engineered, performance tested

pub. box 187 germantown, wisconsin 53022 262.355.2318 www.krenzvent.com

SAFETYZONE MAGAZINE

Vol. 22 Issue 2

PRESIDENT

Glen Hobson
205-441-5591
glen@handfmedia.net

DIRECTOR OF ADVERTISING

Jake Dimenna
205-624-2182
jake@handfmedia.net

DIRECTOR OF BUSINESS

Butch Cole
205-624-2180
butch@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@handfmedia.net

EDITOR

Brandon Greenhill
brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill
jacklyn@handfmedia.net

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.safetyzonemagazine.com
info@safetyzonemagazine.com




New Construction Products™ is published twelve times a year on a monthly basis by H & F Media, Inc. *New Construction Products™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

New Construction Products™ is distributed to qualified owners and managers in the construction industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to
H & F Media, Inc. P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720

Vader Combo for Ultimate in Anti-Fog and Full-Face Protection

Brass Knuckle's proprietary coating, innovative design protect the face like no other

Foul, nasty, or painful debris. Spark. Liquid sprayback. All can slow the most seasoned employee and, worse, bring the threat of occupational injury. So, what protection do workers want on their face when the situation hits the fan? Not a standard goggle that leaves the rest of their face exposed. Not a traditional face shield, with huge gaps that are easily penetrated and allow major neck exposure.

The answer is Brass Knuckle® Vader Combo, the goggle and face shield in one, with industry-leading BK-Anti-Fog for the best visibility available. Its integrated face shield offers 180-degree peripheral vision and face coverage. Ultra-soft conditioned rubber forms a splash barrier. Because the face shield isn't attached to a hard hat, it provides unprecedented mobility and visibility — the shield goes wherever the wearer's head goes.

Brass Knuckle has created a product primer to help industry vets more accustomed to old-style face shields better understand the differences inherent in Vader Combo. Readers are encouraged to download the fact sheet and watch the BKTv video of it at work in real-world conditions.

BK-Anti-Fog exceeds the industry's most stringent anti-fog standard and makes Vader Combo the first choice in face protection for construction,



grinding, water and wastewater, jan/san, or any application with sprayback that can cause lens fog. The ANSI-rated, military-style splash goggle also includes a durable anti-scratch treatment and is D3 rated for droplet and splash protection. The built-in venting system helps reduce the potential for moisture buildup, helping to maintain clear vision.

If a job exposes its workers to any kind of wetness or debris being thrown into their faces, the Vader Combo brings the necessary protection. It protects from the sun, from impact, from splash—and even from dangerous, temporarily impaired vision caused by fog.

www.brassknuckleprotection.com •

First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square®** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square®** Products!

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES

Tips for Longer, Safer Power Tool Battery Life



Power Tool Institute identifies easily employed best practices

Power tools and their batteries are rugged instruments designed to perform tough jobs, but they still require care to maintain safe, optimum performance. There are steps users can take to extend tool and battery life, and help keep power tools operating at peak performance for a longer life cycle.

The Power Tool Institute has compiled a list of best practices for safer use of batteries and power tools.

Safe handling

Start by reading the manufacturer's instruction manual – and only use original manufacturer's system components of tool, battery and charger. Do not impact or damage a battery (for example, do not use it as a hammer), use it solely for the defined purpose as specified by the manufacturer. If a battery has received a sharp blow, been dropped, or is damaged, discontinue use.

Regularly inspect batteries for signs of damage, such as crushing, cuts, or punctures. Be mindful of abnormal battery behavior, such as failure to fully charge or hold a charge, longer-than-usual charging times, noticeable drop in performance, liquid leakage from the battery, or melted plastic anywhere on the pack. These are indications of an internal problem.

Never modify, disassemble, or tamper with the battery because the performance can become unpre-



SP PRODUCTS, INC.
Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS

We're Proud to be the Electricians' Friend for Over 50 Years!

Qwik Duct Safer Better Faster

HDPE CUSTOM TEMPLATES
In Any Configuration Required

IP3b

Patent Pending



PVC Offset

Sizes 1/2" thru 6"
 Meets Flexible Mandrel
 Test Requirements

Bore Spacers

Sizes 1/2" thru 6"
 Roll assembled conduit into
 caissons and under
 obstructions


IP2



IP1



Patent Pending



IP13A-F

Conduit Transition Couplings



PVC Schedule 40 & 80
 Transitions in Less Than
5 Minutes

PATENT PENDING



IP15

PVC/PVC

PVC/EMT

PVC/Rigid

PVC/Liquidite

PVC/Stainless

PVC/Alum

PVC/Flex

IP14a

**End Bell
 Adapter**

Schedule
 40/80 PVC



PATENT PENDING

Save Cost on the Rigid Nipple, Tape & Labor
Use for Entire Job - Not Just for Repair

**1 Piece
 Reaming Bit**

1/2" thru 6"
 Schedule 40/80

*Plus More Being Invented for **SAFER BETTER FASTER** Jobs . . . Call With Your Ideas!*



SPProducts.com 800-233-8595 info@SPProducts.com

WE HAVE THE ROPE TO GET THE JOB DONE.



BUCCANEER
rope company
Providing strength & stability, with a twist.

dictable and dangerous. As a general practice, it is best to unplug battery chargers and remove battery packs from them when not in use.

Safe storage

Do not store batteries on their chargers. Always use and store the battery within the temperature limits stated by the manufacturer. Do not store in a closed location where sunlight may cause elevated temperatures, such as near a window or inside a vehicle. Do not store or transport the battery in a container with loose metal objects, such as coins, keys or nails, which may contact the terminals.


Safe response to overheating

Though batteries and chargers are safe to use when operated properly, in rare instances a battery may overheat. If the battery is exhibiting signs of overheating (flames, smoke, smoldering, or melting), immediate action is required. If connected to a charger when exhibiting signs of overheating, always unplug the charger first. After unplugging the battery charger, then pour copious amounts of water on the battery and then submerge the battery (including any attached tool or charger – do not directly touch/disconnect the battery) in a sturdy container filled with water. When transferring the battery, avoid direct contact with the battery (use a long-handled shovel) and use appropriate personal protective equipment to protect face, hands and body, since there is a risk that overheated batteries may vent, explode, or emit flame.

If the battery is exhibiting flames, continue using copious amounts of water until the flame is extinguished, then submerge the battery (including any attached tool or charger) in a sturdy container filled with water. If water is not available, dirt, sand or a conventional ABC extinguisher may be used in an attempt to smother and cool the battery until water is available.

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720

OMEGA

SAFETY BARRIERS & GUARDS



SAFETY BARRIERS



R-U-F PORTABLE BARRIERS



PIPE GUARDS



COLUMN GUARDS



CORNER SHIELDS



BOLLARDS



HANDRAILS & GATES



RACK GUARDS



QUIK-STEP STAIRS



TRAK-SHIELD

Downspout Pipe Guards, HDPE Bollard Covers and many other safety products available.

www.omegaindl.com

800-521-8272

Omega Industrial Products - The Nation's Leading Supplier
Of Safety Barriers & Guarding Products

Keep the battery submerged, in a well-ventilated location, for at least 24 hours and at least 15 feet away from any combustible items. Contact the manufacturer for guidance on proper disposal.

For more information about extending the life of power tools and their batteries, visit <https://www.powertoolinstitute.com/>.

About PTI

With the vision to unify and educate others about power tools, since its founding in 1968, the Power Tool Institute (PTI) has established itself as the leading organization for building global understanding of power tools and for maintaining high standards of safety in the industry. Its members, a list of whom can be found here, represent market-leading brands in the areas of portable and stationary power tools. PTI's members are committed to improving the industry and to being the premier resource for power tool education. For more information, contact PTI 216-241-7333 or pti@powertoolinstitute.com.

On the Web: www.PowerToolInstitute.com and www.TakeChargeOfYourBattery.com



NEW COVID-19 GOVERNMENT REQUIREMENTS

Required Vaccinations for all Federal Workers and for Millions of Contractors that Do Business with the Federal Government



Finds and Notifies You of 31 Possible Davis Bacon Compliance Errors
80% Savings of Time and Money Compared to Manual Payroll Preparation
5 Minute Friday Payroll • Encrypted • Internet based
58,000 + Construction Company Clients • Avoid Jail Time and Costly Fines

eMarsinc.com

480-595-0466

Stay In Compliance with the Davis-Bacon Act
Easily Know When Each Employee was Immunized



Compliant
client by eMars

WP MAKE EVERY STEP
A SAFE ONE

Help Prevent

Flex-Tred®

SLIP AND FALLS
Stairmaster®

WOOSTER PRODUCTS

For more products & information
visit us on-line or call:
www.wooster-products.com
800-321-4936

MADE IN
U.S.A.
PRODUCT

BURCH

MANUFACTURING COMPANY, INC.

Family Owned Since 1882

Agricultural Weather Protection/ Heat Houser: An accessory for tractors that channels heat from the engine back to the operator.

Industrial Weather Protection: 3S Kab King, Heat Tube, HCI Heat-Houser
An accessory for industrial machinery that protects operator from the element

Kolaps-A-Tanks: Portable water tanks that are NSF/ANSI Standard 61 approved for contact with drinking water.

Fire Kolaps-A-Tanks: Collapsible water tanks used in rural areas.

Decontamination Booths: DB85 used in hazardous incidents.

Vehicle Overload Signs / Safety Flags: Used in the trucking industry.

If a product you need can be made of canvas or vinyl coated nylon, chances are we can sew it, heat seal it, or silkscreen it.

Burch Manufacturing Company, Inc.
618 1st Avenue North • Fort Dodge, Iowa 50501
Phone: 515-573-4136 • Fax: 515-573-4138
burchmfg@frontiernet.net • www.burchmfg.com

LTBLtech, LLC - Call: 615.593.0510

DOCK RIGHT
LASER DOCKING TECHNOLOGY
Dock Right Laser System Div. of LTBLtech, LLC
LOSS PREVENTION FOR THE 21ST CENTURY
www.LTBLtech.com

LTBL TECH "The Original"
LIGHTCOP
- Loss Prevention For The 21st Century -

LASER LINE'S

PROJECTED SIGN'S

Because Painting & Taping Sucks!

Visit us on the web - www.LTBLtech.com

**Strong
ALMAG 535
Material**

4-Conduit Block Support From Only One Rod




PATENTED

**Threaded Block OR Threadless Block
for Vertical Rod for Vertical Rod**

For Vertical Rod 1/4" or 3/8"

Specify bolt size 1/4" or 3/8" for the conduit clamp

ST=(side thread) 1/4" or 3/8"



*Bolt Hex
Head Slides
into Slot*



*Bolt Hex
Head Slides
into Slot*

**Standard
Slots 1/4"**
3/8" Available
Upon Request



THREADED BLOCK

1/4 inch rod = Cat# TBT25-ST25
1/4 inch rod = Cat# TBT25-ST38
3/8 inch rod = Cat# TBT38-ST25
3/8 inch rod = Cat# TBT38-ST38

NON-THREADED BLOCKS

1/4 inch rod = Cat# TBT25-NT-ST25
1/4 inch rod = Cat# TBT25-NT-ST38
3/8 inch rod = Cat# TBT38-NT-ST25
3/8 inch rod = Cat# TBT38-NT-ST38

**Support
Up Thru 4
Conduits With
1 Support**



*Install larger conduit
overhead with our
patented 4 conduit
threaded support
block.*

**New
Block**

**AVAILABLE
SOON**
**For Vertical Rod
1/4" or 3/8"**



**4 threaded holes on
4 sides (no slots)**
*Specify bolt size 1/4" or 3/8"
required for the conduit clamp*

PATENTED

FAST & EASY TO INSTALL



1

Insert
Threaded or
Threadless
Rod



2

Drop Hex Heads
into Slots to
Attach Minis



3

Attach Minis
Tighten Nuts



4

Minis Attached
Ready for
Conduit to
be Inserted



5

Insert Conduit
Tighten Nuts and
Bolts on Minis

Customer must satisfy all codes and owners' specifications.

SP PRODUCTS, INC
Productivity and value thru ideas



**PATENT PENDING
PATENTED**



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

730 Pratt Boulevard • Elk Grove Village, IL 60007
P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595
E: info@spproducts.com • www.spproducts.com

IP19-20



JLG Establishes Developmental Partnership with RE2 Robotics

Integrating and expanding robotic solutions for access equipment

JLG Industries, Inc., an Oshkosh Corporation company [NYSE:OSK] and a leading global manufacturer of mobile elevating work platforms (MEWPs) and telehandlers, is pleased to announce a developmental partnership with RE2 Robotics, a leading developer of intelligent robotic mobile manipulation systems. The collaboration of these two market leading companies is intended to advance the integration of robotics with access equipment to deliver improved operator safety and enhanced productivity on job sites.

“Robotic technologies have long been used in a variety of industries,” says Frank Nerenhausen, Oshkosh Corporation executive vice president and president, JLG Industries. “The productivity imperative, along with the COVID-19 pandemic have accelerated the need for and adoption of robotic technologies beyond the factory floor. In fact, a large focal area in construction and industrial applications today is remote operation of equipment that keeps workers out of harm’s way.”

Nerenhausen continues, “While JLG has been leveraging and developing robotics in specific areas of our business for quite some time, our focus has shifted to developing and incorporating solutions that integrate with our lifts to help offset labor shortages and provide assistive technologies to a now 5-generation workforce. The relationship with RE2 allows us to partner with an organization who has the same drive for excellence as JLG, enabling us to accelerate the integration of robotics across our



Custom Insurance for the Construction Industry

With XINSURANCE, You Get...

- All-In-One Approach
- Agent Friendly
- Limits up to \$10MM
- Property & Casualty
- Professional Liability
- Commercial Auto Liability
(available in most states)
- Products Liability
- Exclusions/Gaps in
Current Coverage & More

Ask us
about our new
coverage option –
Communicable
Disease
Liability



To get your free
custom insurance
quote for the
construction industry,
visit www.xinsurance.com

You can also contact
Logan Fitzgerald directly at
801.304.5562 or
loganf@xinsurance.com

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is OH93938.

XINSURANCE

product line to move the access industry forward.”

RE2 was recently awarded a project by the U.S. Department of Energy to develop a robotic solar field construction system for the outdoor autonomous manipulation of photovoltaic panels. The RE2 Sapien™ 6M robotic arm, along with RE2 Detect™ and RE2 Intellect™ software are being integrated with a JLG® aerial work platform to support the transfer, lifting and placement of the photovoltaic modules. JLG is supplying engineering support during the technology development phase of the project. Joint work is being completed on the mechanical and control system interface between the robotic arm and the lift. The resulting integration will provide the foundation for the robotic solar field construction system.

Skilled workers will supervise the robotic solar field construction system, which uses computer vision to autonomously retrieve solar panels from a delivery vehicle and precisely place the panels onto a racking system. An onsite worker then follows to secure the panel. The RE2 Sapien intelligent robotic arm offers a high strength-to-weight ratio, precise control and human-like dexterity to place the burden of the heavy lifting on the robotic system. This system is expected to significantly improve productivity and reduce the amount of time required to construct a solar field.

“The future of work is here,” says Jorgen Pedersen, RE2’s President and CEO. “Humans and robots are working more closely together, and the construction industry is no exception. Our developmental partnership with JLG will enable us to apply our proven robotic technology to specific applications, including those that require working at height and repetitive lifting such as solar field construction.”

The advertisement for Jesco Industries, Inc. features a collage of industrial products including a large metal cage, a yellow scissor lift, a yellow pallet jack, a yellow frame, and a yellow shelving unit. The text includes the company name 'jesco' in a large green font with 'Since 1932' underneath, and the address '950 Anderson Rd PO Box 388 Litchfield, MI 49252-0388'. A 'ProGMA' logo with the tagline 'safer by Design' is also present. At the bottom, it says 'Visit JescoOnline.com' and 'Call 800-529-6697'. A circular seal on the right side of the products reads 'Jesco does it best!'.

“Developmental partnerships, acquisitions and organic product innovation serve as the three core pillars of our growth philosophy. When combined, they facilitate our ability to remain agile and accelerate the development of the future technologies that will advance the construction industry,” says Nerenhausen. “Our work with RE2 Robotics is an excellent example of how we are driving progress with companies who are experts and leaders in their respective fields.”

According to Nerenhausen and Pedersen, a concept machine is forthcoming, with demonstrations planned to gather additional feedback in the near future.

For more information on JLG products and services, please visit www.JLG.com •



World of Asphalt® 2022

SHOW & CONFERENCE



LEADING ASPHALT TRADE SHOW AND CONFERENCE

"This was my first show and it was a great experience. Being able to see and talk with all of the vendors within our industry was a huge benefit for my current position and professional growth. I now feel as though I have a better understanding of our industry and what vendors are available as well as technologies. This adds excellent value to our organization." — Jamie Bailey, Lehigh Hanson

March 29-31, 2022 | Nashville, Tennessee

Register for tickets at worldofasphalt.com

SLIP AND FALL PREVENTION!

Since
1993

NEW!



**TESTING DYNAMIC
COEFFICIENT OF
FRICTION (DCOF)
ASM 925**

DIGITAL ASM 825A SLIP METER

**WET AND DRY TESTING
CALIBRATES TO ANSI/NFSI B101.1**

**SAFE FLOORS MAY INCREASE PRODUCTIVITY
AND WILL CERTAINLY REDUCE LOSSES**

**SCOF RESULTS WITH AN EASY-TO-USE
PORTABLE FLOOR FRICTION TESTER**

PH: 941-681-2431 | FAX: 941.681.2487

AMERICAN SLIP METER®

WWW.AMERICANSLIPMETER.COM



DIAGNOSE YOUR OWN EQUIPMENT.



*Big updates on
CASE, New Holland, JCB
& John Deere*



The **OHV Pro** is our answer to folks needing a stand alone, full featured scan tool for working on Agricultural, Construction, Mining and other Off-highway applications. Brands such as John Deere, Volvo, Caterpillar and CASE are covered. Perform bi-directional controls on hydraulics and special functions, such as injector coding, DPF regens and VGT calibrations.

8" Android Tablet | IP65 Rated | Bluetooth® Wireless | Easy Updates | Remote Technician


WWW.CANDOINTL.COM

CanDo
INTERNATIONAL, INC.

909/CANDO-11(226-3611)

ELIMINATE FALL HAZARDS

AT YOUR FACILITY WITH THE SRC360 MOBILE RAIL SYSTEM



SAFETY RAILINGS ARE YOUR BEST DEFENSE

- COMPREHENSIVE FALL PROTECTION
- NO HARNESS REQUIRED
- COMPLIANCE FOR ALL TRADES ON YOUR ROOF

FROM START TO FINISH, FALL PROTECTION AND PEACE OF MIND HAVE NEVER BEEN EASIER

OSHA COMPLIANT | NON-PENETRATING | EASY INSTALLATION

We offer a full menu of fall protection products addressing individual hazards or combined together for a comprehensive, 100% fall protection solution for the entire facility.

- EXPERT ADVICE
- FACILITY SITE SURVEYS & CAD MODELING
- FULFILLMENT, DELIVERY, INSTALL & SIGNOFF



PROTECT LIVES.
BE OSHA COMPLIANT.
CONTACT US TODAY.

MADE IN USA 

ANALYZE • SPECIFY • MANUFACTURE • INSTALL

ASK ABOUT OUR TURNKEY SOLUTION PACKAGE



SafetyRailCompany
Fall Protection for Life and Compliance

SAFETYRAILCOMPANY.COM | 888.434.2720

Ad Index

Company	Pg.	Website
American Slip Meter	18	www.americanslipmeter.com
Bucaneer Rope	8	www.bucrope.com
Burch Mfg	12	www.burchmfg.com
Cadick	IBC	www.cadickcorp.com
Can Do Intl	18	www.candointl.com
Core Safety	IFC	www.coresafety.com
eMars	20	www.emarsinc.com
Jesco	1, 16	www.jescoonline.com
Krenz Vent	2	www.krenzvent.com
LTBL	12, BC	www.ltbltech.com
Omega	10	www.omegaindl.com
Randll	5	www.randll-inc.com
Safety Rail Co	3, 9, 19	www.safetyrailcompany.com
SP Products	7, 13	www.spproducts.com
Wooster Products	12	www.wooster-products.com
World of Asphalt	17	www.worldofasphalt.com
XInsurance	15	www.xinsurance.com

TAKING CHANCES WITH DAVIS - BACON MANUAL PAYROLL COMPLIANCE?

EACH WEEK, EVERY CHECK HAS 30+ WAYS TO BE A LOSING PROPOSITION.



NONE OF OUR 15,000+ CLIENTS HAS EVER HAD A LEGAL COMPLIANCE ISSUE... NOT ONE.

480-595-0466

Compliant
client by eMars
Be Davis-Bacon Compliant In Minutes

emarsinc.com

It's not always romantic...

Make sure your power equipment is fully operational.

With over 35 years experience, Cadick Corporation uses state-of-the-art software and standards of IEEE, ANSI, NFPA, and other applicable industry regulations to develop customized engineering studies for your facility.

- Extensive analysis & reporting
- Fabrication & installation
- Comprehensive electrical safety audits
- Engineering studies
- Electrical safety services
- Training

The benefits of using Cadick engineering services include:

- Safe and efficient operation of the electric power system
- Reduced fees and fines incurred due to poor power factor or other such problems
- Reduced power bills
- Compliance with regulatory standards such as OSHA and NEC
- Protective device settings that provide the most optimal mix of properly rated & calibrated protective equipment
- Enhanced safety of personnel for arcing events



Call 800-931-8573 or visit
cadickcorp.com for more information.



Why Laser Lines and Projected Signs? **Because, You're Sick of Painting & Taping!** **NEW SOCIAL DISTANCING GOBO Images For LightCop.**



www.LTBLtech.com

615-593-0510