

June 2026

THE MOST UNIQUE AND RELIABLE RESOURCE FOR TODAY'S ELECTRICAL CONTRACTOR

THE ELECTRIC CURRENT


A Lightweight, Less
Costly Solution for Buried
Transmission Lines

**Safeguarding Peaker
Plants Against
Lightning-Related
Disruptions**



THE SECRET TO

UNDERGROUND POWER TRANSMISSION



OUR WUNPEECE TRANSMISSION SPACERS REDEFINE THE INDUSTRY STANDARD FOR UNDERGROUND POWER TRANSMISSION INSTALLATIONS. WITH PRECISION ENGINEERING AND UNMATCHED QUALITY.

JOIN THE RANKS OF INDUSTRY LEADERS WHO TRUST UNDERGROUND DEVICES FOR THEIR POWER TRANSMISSION NEEDS.



VISIT WWW.UDEVICES.COM

AND EXPERIENCE THE FUTURE OF UNDERGROUND POWER INSTALLATION

Click, click, click and click



9 Year old John can submit an entire **WH347 payroll form**

You Can Do It Too!

1. Login 2. Select Project 3. Import Payroll 4. Sign Document



- **Encrypted**
- **2 Minute Paperless Payroll**
- **Works with Prime and all Subcontractors**
- **55,000 + Clients**
- **80% Savings In Time and Money Compared to Manually Prepared Payroll**
- **Call for Free Demo**

eMars
CERTIFIED PAYROLL COMPLIANCE

emarsinc.com
Ph: 480-771-2841

PG 4	Safeguarding Peaker Plants Against Lightning-Related Disruptions
PG 10	A Lightweight, Less Costly Solution for Buried Transmission Lines
PG 16	Buyer's Guide
PG 18	Ad Index



Vol. 26 Issue 6

PRESIDENT

Glen Hobson
205-441-5591
glen@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@handfmedia.net

EDITOR

Brandon Greenhill
brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR


Jacklyn Greenhill
jacklyn@handfmedia.net

Get Cool!

**Extend
transformer
life!**

**Increase
transformer
capacity up
to 166%!**

- expert technical assistance
- low sound levels
- energy-efficient motors
- large inventory
- one-piece cast aluminum blades
- galvanized or stainless steel guards



p.o. box 187 germantown, wisconsin 53022

262.255.2310

www.krenzvent.com

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.hfgmedia.net



The Electric Current™ is published twelve times a year on a monthly basis by HFG Media. *The Electric Current™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Electric Current™ is distributed to qualified owners and managers in the electrical industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to
HFG Media, Inc. P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA

Protection That Works Wherever You Do

- Reliable gas detection built for real-world job sites
- Simple to use - minimal training required
- Rugged, field-ready design for demanding environments
- Protection crews can trust - wherever the work takes you



Safeguarding Peaker Plants Against Lightning-Related Disruptions



Comprehensive lightning protection measures help keep peaker plants in a constant state of readiness, enabling them to deliver supplemental power at a moment's notice when electrical grids become overloaded

According to the latest federal data, the United States currently has just over one thousand peaking power plants in active service. Also known as peaker plants, these electric power generation facilities are designed to operate only during periods of high electricity demand. Their function is to supply additional grid support, activating when baseline utility power generators such as nuclear, coal, hydro-electric, or large combined cycle plants cannot meet short-term spikes in load.

Although simpler in infrastructure and more compact than traditional power generation facilities, peaker plants are among the most vulnerable to operational disruptions caused by direct lightning strikes and their secondary effects.

Peaker plants are particularly susceptible to lightning effects for several reasons. They often include prominent structures such as exhaust stacks, transmission towers, and open-air substations, all of which act as likely lightning strike collection points. Within the facility, large amounts of electrically conductive equipment are directly tied into the grid. Generating units, power transformers, switchgear lineups, control platforms, and communications networks operate under high electrical stress and are susceptible to transient overvoltage.

First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square®** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square®** Products!

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES

Even in areas with infrequent thunderstorms, severe lightning events can still occur, leading to catastrophic damage, injury, downtime, fines, and negative impact to corporate reputation. When this occurs, the financial consequences can be devastating. A single strike can ignite fires, destroy valuable assets, and lead to costly downtime and environmental damage.

The secondary effects of lightning are also significant. Ground potential rise and electromagnetic energy coupling into control and instrumentation cabling can disrupt plant functions or damage sensitive hardware where grounding, bonding, surge protection, and shielding are not in place.

The operating profile of a peaking facility adds another layer of exposure. These units run only when supplemental capacity is needed and are designed for rapid startup, which often means long periods offline. Insulation systems, grounding networks, and related protective features must therefore remain dependable despite long periods of inactivity and cold equipment conditions.

Lightning-induced surges can introduce hidden degradation that may not appear during routine maintenance and inspections but later interferes with startup when the unit is urgently required for peak demand or grid support. The impact is considerable because these plants are called upon during periods of system grid stress.

For these reasons, peaker plants typically incorporate comprehensive lightning protection measures, including air terminals, which are designed to attract lightning and will only protect structures. Low-impedance grounding grids and transient voltage surge protection devices are also included in the lightning protection measures. Lightning avoidance technologies may also be utilized, such as Charge Transfer technologies. A Charge Transfer System not only protects structures but allows reliable operation of the control and monitoring automation through the storm.

“Rather than offering a one-size-fits-all solution, lightning protection and mitigation recommendations should be tailored to a facility’s unique vulnerabilities, whether that involves direct strike avoidance, secondary damage caused by a nearby strike, or grounding improvements,” says Peter Carpenter, Director of Applied Engineering at Lightning Eliminators & Consultants, Inc. (LEC), a pioneer in the field of lightning protection since 1971.

LEC’s solutions protect critical operations and structures for some of the world’s most recognized companies, including Tennessee Valley Authority (TVA) nuclear facilities, Exelon, Constellation Energy, Duke Energy, and Consumers Energy, Federal Express, UPS, Marathon Petroleum, Chevron, ExxonMobil, and thousands of others.

Prevention is the Best Defense

According to Carpenter, the most effective defense is to prevent a lightning strike from occurring.

“This is a far superior solution than a lightning rod-based system that attracts lightning to the protected site and then attempts to manage the strike,” explains Carpenter.

Lightning occurs when the difference in potential between storm clouds and the earth reaches a critical level, triggering an electrical discharge. For lightning to strike, it requires a connection between a downward leader from the cloud and an upward streamer from the ground.

The Dissipation Array System (DAS®) from LEC is designed to prevent direct lightning strikes within its designated protection area by lowering the electric field to levels below those required for lightning to form.

“DAS prevents these connections by using point discharge technology, which neutralizes the

Made to order precast polymer HOUSEKEEPING PADS



ADVANTAGES OF POXYBASE[®] PADS

Outperforms

traditional concrete

Quick Installation

no waiting for concrete to cure

Labor Saving

no forms or pouring field materials

Mounting

stainless steel inserts for
equipment and floor anchors

Flexible Designs

built to exact size specifications
including conduit openings

Built to Last

corrosion resistant and extremely
durable (seismic ready)

Quick Delivery

with limited colors available



Proudly
made in the
U.S.A.

basetek.com **877-712-2273** info@basetek.com

BASETEK
L L C

Built to last
and outperform. **We guarantee it.**

charge differential before a strike can occur. Through a system of well-grounded points, DAS facilitates the exchange of ions between the air and the ground, disrupting the conditions necessary for a lightning strike,” says Carpenter.

DAS can be integrated with a wide range of structures, including buildings, towers, tanks, and stacks. Since its inception, over 4,500 DAS installations have been deployed worldwide, accumulating more than 100,000 system-years of effective performance. Testimonials from industry leaders confirm its effectiveness, with companies reporting significant reductions in downtime, maintenance costs and improved reliability.

LEC even offers a “No-Strike” warranty for all supervised installations, ensuring complete protection when the system is properly maintained and inspected.

The effectiveness of DAS is enhanced when combined with a comprehensive lightning protection system that includes a low-impedance grounding system, transient voltage surge suppression, and modular strike prevention devices. Together, these components ensure optimal protection against both direct strikes and secondary electrical surges.

Lightning Risk Assessments

Due to the wide range of available technologies, mounting an effective defense against lightning-related threats typically requires a tailored strategy that integrates multiple solutions, each having its own specific purpose for minimizing damage or avoiding it altogether. The optimal combination depends on the specific site conditions and the nature of the operation.

Carpenter says the appropriate combination of solutions can only be determined through a comprehensive evaluation of each facility’s current protection measures, grounding systems, and overall risk exposure.

“Understanding a peaker plant’s past issues, vulnerabilities, and protection goals helps determine whether the solution should focus on grounding enhancements, surge protection, direct strike avoidance, secondary damage from a nearby strike, or a combination of all three,” says Carpenter.

By conducting a thorough site assessment, LEC helps facilities identify vulnerabilities and implement customized mitigation strategies, whether that means improving grounding, adding targeted surge protection, or implementing direct strike mitigation solutions.

This proactive step not only safeguards critical infrastructure and personnel but also helps prevent costly disruptions and reinforces a facility’s long-term resilience against lightning-related threats.

For more information: call 303-447-2828 or complete the ***Free Lightning Risk Assessment for Critical Operations*** •



LONE WORKER PROTECTION
FALL PROTECTION
SUSPENSION TRAUMA PREVENTION

 **SECURE 1/2 MILE**
LINE-OF-SIGHT 



ASSIGNED MONITORING ATTENDANTS



Grace Web Portal Dashboard



Custom Check-In Schedule



TEXT/Email Notification



Receive a GPS Map Link

Check-In System



LEARN MORE



GRACE GATEWAYS

Iridium Satellite/Cellular

Mobile or Portable Worksite Models

SALTTM System Loop Test Indicator

Supports up to 20 Grace Pendants



WORKFORCE[®] LONE WORKER PENDANT

Fall Detection

Manual Panic Button

Motion Detection

GPS Location



PROTECT TRANSMISSION LINES WITH DIRECT BURIED CONDUIT



A Lightweight, Less Costly Solution for Buried Transmission Lines

Choose Champion Fiberglass® conduit for buried transmission lines to reduce the risk of wildfires and natural disasters and eliminate the risk of imposed blackouts.

After a volatile and destructive 2021 wildfire season, California utilities now have plans to bury thousands of miles of power lines to reduce wildfire risk throughout the state.

From galvanized rigid steel to PVC, there are many types of electrical conduit to choose from for a utility project such as this. But none offer the light weight, easy installation, strength, and durability of fiberglass conduit.

Fiberglass conduit is the wise choice to protect cable in a buried installation because:

- Unlike galvanized rigid steel conduit, fiberglass conduit resists corrosion.
- Unlike PVC SCH 40, SCH 80, and PVC-coated steel, fiberglass conduit is fault-tolerant. With fiberglass conduit, the cable does not melt or weld to the inside of the conduit.
- Champion Fiberglass conduit is UL listed conduit with high dielectric strength
- Its low coefficient of friction protects cables

Reduce Back & Knee Injuries with the NEW Ergo Termination Tool.



(641)757-7204

www.linehandschoice.com



- Reduce LTA's (Lost Time Accidents)
- Proven to increase production
- Proven safest/ most ergonomic way to terminate
- Reduce strains/ sprains/ First Aids
- Recommended by Ergonomic Specialists
- 100% USA Made

- It offers durability that resists pests and rodents
- Its lighter weight and gasketed couplings facilitate ease of installation while lower NECA labor rates translate into a less costly installation.
- Perhaps most importantly, it is available with shorter lead times and lower prices and is not subject to the current PVC shortage.

Even first-time installers comment on the ease of installation of Champion Fiberglass conduit. In fact, one recent customer was able to install three miles of conduit in underground duct banks in one day thanks to gasketed couplings, where no adhesive was necessary to join sections.

Our company has over 30 years of experience guiding contractors and installers through complex projects, and we utilize our team's expertise daily in expediting unique shipping, packing, delivery, and installation requests. Discover how Champion Fiberglass® conduit provides a strong, durable, less costly solution to protect buried infrastructure for the long term.

Discover how Champion Fiberglass conduit provides a solution to the serious public safety and economic fallout caused by natural disasters like wildfires. •



NIXALITE®



75 Years of Effective Bird & Animal Control

 All American, All Stainless Steel Bird Spikes	 Architectural Bird Exclusion Netting and Hardware	 Cleaning, Fogging, Deodorizing & Disinfection	 Wall & Roof Vent Guards, Screens and Barriers
---	---	--	---

Contact Nixalite® for your **FREE** Product Catalog or go to nixalite.com



Nixalite® of America Inc
1025 16th Ave, East Moline, IL 61244

1(309) 755-8771
sales@nixalite.com
nixalite.com

REPAIR CONDUIT IN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

**Designed especially for
power, communications,
and fiber optics**



"The World Leader In Split Conduit Products"



Conduit Repair Systems, Inc.

The World Leader In Split Conduit Products

800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com



**Step 1: Remove
Damaged Conduit**



**Step 2: Cut Split
Duct Conduit to Fit**



**Step 3: Snap in
Place**



**Step 4: Attach
Adapters**



**Step 5: Finish Job
in Record Time**

Please Visit Our Website at WWW.CONDUITREPAIR.COM



The Solution
To stak, store,
protect, and
pull wire!



USA
MADE

Stak: Up to five units tall. Easy two handed ergonomic carry from truck or jobsite.

Store: 500' spools of 14, 12 & 10 AWG wire easily for inventory control. Polymer design reduces damage to finished surfaces on the job.

Protect: Reduces wire damage from tools and personnel. Made of non-conductive polymer.

Pull: Pull wire smoothly from the top or the sides when in the Stak. Support large spools with molded V-Grooves.

stakmax.com

Email: Sales@stakmax.com



Scan the QR Code
to visit our website.

Stak



Store



Protect




Pull



NIXALITE®

75 Years of Effective Bird & Animal Control



All American, All
Stainless Steel
Bird Spikes



Architectural Bird
Exclusion Netting
and Hardware



Solar Panel Bird,
Animal & Debris
Protection



Wall & Roof Vent
Guards, Screens
and Barriers

Contact Nixalite® for your **FREE** Product Catalog or go to nixalite.com



Nixalite® of America Inc
1025 16th Ave, East Moline, IL 61244

1(309) 755-8771
sales@nixalite.com
nixalite.com



Upgrade Your Building Wire with Copper-Clad Aluminum (CCA).



Cost Stable

Reduce your exposure to volatile price fluctuations.



Code Compliant

NEC referenced since 1971, Copperweld is accepted by builders and inspectors.



Easy to Install

A similar metal to copper for electrical connections, CCA is light and easy to bend.



COPPERWELD®
BUILDING WIRE



Learn More

Copper where it counts™

Contact us for sales and info:

615-622-4662

buildingwire@copperweld.com

copperweld.com

THE MOST UNIQUE AND RELIABLE RESOURCE FOR TODAY'S ELECTRICAL CONTRACTOR

THE **ELECTRIC** CURRENT BUYER'S GUIDE

Conduit Repair
800-670-1804
www.conduitrepair.com



Conduit Repair Systems, Inc.
The World Leader In Split Conduit Products

Stak Max
815-355-4203
www.stakmax.com



The Solution
To stak, store,
protect, and
pull wire!



Sunbelt Solomon
888-588-5102
www.sunbeltsolomon.com



SUNBELT SOLOMON

Underground Devices
800-800-2116
www.udevices.com



UNDERGROUND DEVICES
INCORPORATED

Working Concepts
888-400-5674
www.safeworker.com



TOOLS YOU CAN TAKE TO THE BANK!



3-24 HAMMER

INNISFREE TOOLS, LLC

www.innisfreetools.com

ROLL'ER-ON

Ad Index

Company	Pg.	Website
Base Tek	7	www.basetek.com
Conduit Repair	13	www.conduitrepair.com
Copper Weld	15	www.copperweld.com
eMars Inc	1	www.emarsinc.com
Gas Clip Tech	3	www.gascliptech.com
Grace Industries	9	www.graceconnectedsafety.com
Innisfree Tools	17	www.innisfreetools.com
Krenz Vent	2	www.krenzvent.com
Linehand's Choice LLC	11	www.linehandschoice.com
Nixalite	12, 14	www.nixalite.com
Randl Industries	5	www.randl-inc.com
Stak Max	14	www.stakmax.com
Sunbelt Solomon	IBC	www.sunbeltsolomon.com
Underground Devices	IFC	www.uddevices.com
Working Concepts	18, BC	www.safeworker.com

Work shouldn't hurt.

SOFT KNEES® No-Strap Knee Pads

STOP a LADDER®

Another fine **ergoKNEEL** product
www.ergokneel.com




888-456-3372 • www.safeworker.com • info@safeworker.com



SUNBELT SOLOMON

REGULATORS

- 24/7 customer support
- 5 dedicated regulator shops across the US, with factory-trained technicians
- Retrofitting to your preferred control panels
- Comprehensive field service offerings



GET A QUOTE TODAY

Evaluations and estimations provided on all units prior to repair

- 800.830.0251
- info@sunbeltsolomon.com
- sunbeltsolomon.com



SUNBELT
SOLOMON

Keeping your transformers in service.

Repair, Rewind, Recycle.

VISIT US



800.830.0251 | info@sunbeltsolomon.com

Work shouldn't hurt.

Save your knees with our ergonomic products!



Soft Knees Knee Pads



Disposable Knee Pads



Ergokneel Handy Mats



Pak-A-Ladder



Stop-A-Ladder



Extreme Standing Mats



**Ergokneel
Ground Blankets**



Ergokneel Body Mat



**Pocket Kneeler
with Lanyard**

SOFT KNEES®
★ WORK SHOULDN'T HURT®

ergo KNEEL®

888-456-3372 • www.safeworker.com