

THE

November 2014

UTILITYSOURCE

Products and Services for Today's Electric, Telecom, and CATV Utilities

**Switchgear Pg
Maintenance 28**

**Dry Type and
Liquid Filled
Transformers**

**Metro Express, Inc. works with
Efficiency Production's Slide Rail System**



POWER. HARNESSSED.

MSA's premium EVOTECH® Arc Flash-Rated Harness provides outstanding arc flash protection* for utility company employees and contractors who work at heights. Its rugged design looks good on the job and is 30% lighter than comparable harnesses. Made from 100% Kevlar webbing, the EVOTECH Harness is fire-resistant, so it maintains its performance in the event of a fall after an arc flash.

MSA's Workman® Arc Flash-Rated Harness provides excellent arc flash protection* in a sleek, black design that's lightweight and comfortable. The high-strength nylon is designed to maintain its integrity after exposure to an arc flash and in the event of a fall. The Workman Arc Flash harness is a cost-effective option for safety managers and contractors who need to be compliant to the latest electrical requirements without breaking the budget.

Learn more at MSAsafety.com/ArcFlash

FALL PROTECTION SOLUTIONS





North America's Largest Used Bucket Truck Dealer

Used Bucket Trucks...and a whole lot more!

Bucket Trucks • Digger Derrick Trucks • Forestry Trucks
Grapple Trucks • Boom Trucks • Utility Trucks

200,000 Mile Extended Warranties Available*

Quality Reconditioned Trucks You Can TRUST!

Nationwide Delivery & Financing Available*



Call or Visit Now!

888-949-3701

www.i80equipment.com

* Certain restrictions apply. Ask your sales rep for details.

PG 4	TUS Product Focus
PG 8	Brand New Solution for Wind Power Generation: Tower Wind Turbine
PG 16	Contractor Metro Express, Inc. Works With Efficiency Production's Slide Rail System
PG 20	Dry Type & Liquid Filled Transformers
PG 30	Switchgear Maintenance
PG 32	Ad Index

GROUP PUBLISHER

Brandon Greenhill
205-733-4343
brandon@tipsmag.net

ASSOCIATE GROUP PUBLISHER

Rick Harless
205-382-618
rick@handfmedia.net

NATIONAL SALES MANAGER

Dave Gomez
205-358-7913
david@handfmedia.net

EDITOR/ WEB DIRECTOR

Danny Thompson
danny@handfmedia.net

CREATIVE DIRECTOR

Jacklyn Greenhill
jacklyn@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@tipsmag.net

CEO

Christy Hobson

PRESIDENT

Glen Hobson



CONDUX

**GEAR UP
TO GO
UNDERGROUND**

APS 75

**HYDRAULIC UNDERGROUND PULLING TRAILER
AVAILABLE WITH AND WITHOUT
AIR COMPRESSOR & HYDRAULIC JACKS**

- ✓ **7,500 LBS OF PULL FORCE**
- ✓ **2,600 FT OF ANTI-TWIST ROPE**
- ✓ **EASY TO OPERATE INSTRUMENT PANEL**
- ✓ **INSULATED FOR NOISE SUPPRESSION**



145 KINGSWOOD DRIVE | MANKATO, MN 56002 | 1.800.533.2077 | CNDXINFO@CONDUX.COM



Executive and Advertising Offices

951 1st Ave. W.

Alabaster, AL 35007

phone: 205-624-3354 fax: 205-624-3354

www.theutilitysource.net

glen@tipsmag.net

The Utility Source™ is published twelve times a year on a monthly basis by H&F Media Group, Inc., 951 1st Ave. W. Alabaster, AL 35007 USA. *The Utility Source*™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Utility Source™ is distributed to qualified owners and managers in the industrial industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to
H&F Media Group, Inc., P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA



Manufacturer & Supplier of High Performance Surge Protection



ISO 9001:2008 and ISO14001:2004 Manufacturing Facility

QUALITY, PERFORMANCE, INTEGRITY

**Electronic grade surge protective
devices (SPDs) for 5-7200 Volts**

**Three Decades of Government,
Industrial and Commercial Experience**

**Setting the standards for quality,
performance and customer satisfaction,
SSI is *your* surge protection solution!**

Contact SSI today:

888-987-8877, 850-654-5559

Visit: surgesuppression.com

Email: us@surgesuppression.com





Simply put the MB Crusher Bucket lets your demolition or site prep double as production of base or filler material. Pick up a bucket full of rocks with your excavator, and dump it out as gravel. Pick up gravel, and dump it as sand. Pick up reinforced concrete, and dump out recycle-ready aggregate and rebar. Not only is this convenient, but it helps eliminate costs for purchasing and transporting material for site prep, as well as making post-demolition cleanup easier and more efficient and reducing landfill waste. It's also ideal for more confined sites where a full-size portable crusher unit isn't feasible.

They accomplish this by incorporating powerful, compact crusher jaws right into a strong but lightweight bucket. The bucket gives the operator an amazing degree of control over how coarse or fine the end product will be. No more time wasted scooping and dumping unusable material into trucks and transporting them off-site to be processed. It can be processed right on

site and then put to use.

In one of the most amazing examples of the product in action, a promotional video by the company shows the attachment inverted, "chewing" its way down a 30+ foot reinforced concrete pillar, spitting concrete rubble and in-tact rebar out the other end at what appeared to be a rate of between .5 foot and 1.5 foot per second. (See the video for yourself on YouTube, here: <http://bit.ly/1twonUv>).

Strength, power and technological innovation are just some of the aspects MB products embody and spread throughout the world. After innovating the single-toggle jaw crushing attachment 13 years ago, MB S.p.A has poured countless resources into continually developing, improving and testing its crusher buckets, as well as soliciting continuous feedback from the real-world use by customers. And it shows.

The company produces a range of excavator attachments that turn any

heavy excavator, mini-excavator or skid loader into a jack-of-all-trades, capable of crushing, screening and sorting rocks and rubble. MB holds numerous patents, including those for the world's largest and smallest crusher bucket.

They've worked with some of the biggest names in the industry, including Thompson CAT, Komatsu EQ, AMI Attachments and Kinross & Barrick Gold to develop the best crusher bucket the world has to offer, and today they are still trying to outdo themselves.

MB has bold goals for the next five years. They aim on opening regional offices across the U.S., giving them more reach into the market and giving customers better access to support and expertise. They also are looking at launching their own production facility to help cut costs and improve efficiency in bringing newer, better crushers to market. ■



Minimizer

30,000

WAYS TO \$AY

THANK YOU!

LEAVE YOUR MARK ON THE WORLD NOT YOUR FLOOR.

Heavy-duty custom molded floor mats.
Built by truckers for truckers.

WWW.MINIMIZER.COM

800.248.3855



Minimizer

FAMILY OWNED | SINCE 1984

Blackbox Fleet Management



Blackbox Fleet Solution has been uniquely designed to adapt perfectly to every size and type of fleet. Understanding exactly how you manage your fleet means we can ensure that Blackbox Fleet blends seamlessly with your business's existing systems and processes. Whether you run a fleet of 5 or 5,000, Blackbox Fleet will provide you with the very best in fleet management software and a flexible range of supporting services to address your specific fleet requirements.

Compliance

You need safe, compliant vehicles and informed, educated drivers...it's all covered with Blackbox Fleet. HSE and legal requirements for fleet operators are securely woven through all software functionality. Correct, Blackbox Fleet usage generates a sound audit trail of fleet activity; a fundamental duty of care requirement. Electronic document storage means instant access to essential paperwork. Blackbox Fleet is fully supported by the UK's leading transport solicitor and specialist tax accountant. Free 'Fleet Adviser' website provides crucial information and advice for all your fleet questions.

Compliance- Areas Covered:

Vehicle Management
Driver Management
Policies
Duty of Care

Savings

With knowledge of how you manage your fleet we can make sure Blackbox Fleet integrates seamlessly with your business. With consolidated fleet processes and improved accessibility, you can enjoy more efficient cost control, legal compliance and streamlined operations. Through a simple question and answer process we look at your current fleet processes, and where appropriate integrate them in to one system allowing ease of data access and reducing administration time. Looking at all aspects of your fleet management enables us to identify areas of Blackbox Fleet's potential cost saving integrated solution and Areas such as fuel management, leasing providers, administration. Advice puts you reviewing your fleet processes will identify if you are potentially vulnerable in the areas firmly in control. of legal compliance, Health & Safety and Duty of Care.

Savings- Areas Covered:

Fuel – Fuel Card Purchasing Data
Time – Efficiency & Productivity
Maintenance – Safety checks / Pre Booking etc.
Accident Management
Tire Management
Acquisition
Fleet Taxation

Fully Integrated & Accredited Vehicle Tracking

The Most Cost Effective GPS Vehicle & Asset Tracking System fully integrated with your maximum benefit to all parties. Blackbox Fleet software is a comprehensive, all-encompassing fleet management system. Instantly know where your vehicles and drivers are and communicate instructions direct from your office.

Live Tracking- Areas Covered:

Accurate arrival & departure Times
Driver Behavior – Speeding & Fuel Idling Issues
Direct Mileage import from vehicle tracking to Fleet system
Automated Service & Advisory issues
Analytic Management Reporting / Information Fuel usage
Route Planning
Live Traffic & Accident Information ■

STEELMAN INDUSTRIES, INC.

Built to last since 1957!

Rotary Phase Converters

- Provides 3-Phase Power When Only Single Phase Service is Available
- Single or Multi-Motor Applications
- Available in Indoor (ODP) and Outdoor (TEFC) Models



Steelman Industries, Inc.
2800 Hwy. 135 (P.O. Box 1461)
Kilgore, TX 75662
800.337.5827 • 903.984.1384 fax
www.steelman.com

**THE
WORK
TRUCK
SHOW**
2015

Your Truck Fleet Keeping You Awake at Night?



- Are you getting the best return for your equipment dollars?
- Can new technology and equipment maximize your fleet's productivity?
- Looking for better ways to control your maintenance, fuel and operating costs?
- Is your truck fleet advancing your commitment to customers?

**We Know Your Challenges.
We Know Your Business.**



Work Truck Show March 4-6, 2015 | Indianapolis, IN
Educational Sessions Begin March 3

**Find Your Answers.
Visit WorkTruckShow.com**



The Future of Clean Commercial Vehicles

March 3-4, 2015

Held in Conjunction with
The Work Truck Show 2015

- Results and Insights on Fleet Deployment of Green Technology
- Government Regulatory and Funding Updates
- New Developments in Alternative Fuel and Productivity Technology



Serving the Industry Since 1964

Brand New Solution For Wind Power Generation

Tower Wind Turbine

by Stanislav Gusak

Wind Power: Yesterday, Today, Tomorrow

Historical background in brief:

People have been using wind power from the time immemorial.

Originally they learnt to transform kinetic energy of wind stream into mechanical one. There appeared lots of different wind mills making men's life much easier in those times.

An idea of a wind turbine for electric power generation using wind power started up around 100 years ago.

Inventors created wide range of various types of wind power generator designs:

- by axis (horizontal, vertical, inclined);
- by number of blades (one, two, three and more);
- by capacity (from tens W to several MW);
- by blade design, by generator design etc.

But in an attempt to raise WTG's capacity inventors faced new problems:

1. Mechanical properties of materials modern wind generators are made of become serious constraints due to the generators' size and dynamic loads they bear. Further expanding capacity (size) of wind generators calls for application of the latest which means more expensive materials which is reflected on the rise of prices of generated power that are rather high even without that.

2. Wind generators of higher capacity require higher wind speeds. Nowadays it becomes more and more difficult to find areas for construction of wind farms but people require more and more power.

Today wind energy market grows up to 30% annually. But with wind power generation enthusiasts along there lately appear more and more skeptics. Wind power generation being clean and using renewable sources has number of substantial disadvantages: low quality of generated power, TV and radio signals interference, bad sound influence on fauna and need in additional reserve power generating capacities of traditional design etc.

More and more people being worried about negative trends in wind energy generation reasonably ask such questions as: What are the prospects of wind power generation? Will wind power generation take economically significant place in world economy? Will the investments in wind power generation be fruitful etc.?

World oil and gas market situation stimulates development of power generation using renewable sources. High price and low quality of such electric power does not make estimates of wind energy generation prospects more optimistic.

People need new reliable sources of electric power meeting following requirements of today's life:

1. Low price of generated power
2. High quality of generated power
3. Power output should satisfy constantly growing demand
4. Clean power generation

One of the alternative power generation solutions meeting most of the requirements mentioned above is presented below.

Everything new is long forgotten old

Wind energy generation is fundamentally based on two elements: energy source (wind) and energy receiver (wind turbine generator).

Since first steps in wind power development and until now inventors have been improving energy receiver but energy source (wind) has been considered to be a gift of nature that is beyond any control.


In many ways it reflected in various disadvantages of modern wind power generation.

In technical system "wind – wind generator" both elements are equally important. Only control over all elements of a system allows reaching highest working efficiency. Improving energy receiver they dropped an idea of controlling wind for no need. But in vain!

Level of modern technical development allows arrangement of quite an effective control over such systems.

But wind power generation went the other way. At present all wind generators operate on the basis of the same principal: collecting energy of incoming air flow.

We decided to develop a brand new technical system which could allow controlling both energy source as well as energy receiver. Using men's experience and knowledge in construction and operation of wind generators we can sufficiently increase their working efficiency by controlling of air flow



Unitrex XS

The leading alternative to hard-line!!!

- Light weight
- Corrosion free
- Low maintenance
- Contains Spectra® by Honeywell high-tech fiber
- Strength & durability of wire without the conductivity

Bring your stringing methodology FORWARD.

Unitrex XS makes stringing line easier, safer, and faster!!!

YALE CORDAGE
When there's a lot on the line

P: (207) 282-3396 • F: (207) 282-4620 • www.yalecordage.com
77 Industrial Park Road, Saco, ME 04072



Towmaster's Hydraulic Tail trailer has quality features built to stringent Towmaster specs. It features a T1 steel flange outer frame design with the axles attached to a sub-frame and junior I-Beam crossmembers to tie it all together. This trailer includes a hydraulic operated two-piece tail with a low load angle for loading low ground clearance type equipment. An optional hydraulic deck ramp allows equipment to be loaded onto the 8-foot top deck. A hydraulic winch can be installed to pull equipment onto the deck.

The hydraulic operated fold-under tail design features a diamond plate metal approach with wood ramp to aid in traction. Stake pockets and telescoping parking stands are standard equipment.

Driver's side controls make it easy to operate the functions. All lights on the trailer are long-lasting LEDs and the trailer is finished with two-component corrosion-resistant polyurethane primer and top coat.

More information can be found at www.towmaster.com or call Towmaster at 800-462-4517.

AMERICA'S BEST TRAILERS




Towmaster is the **trusted brand** for rental, construction, and equipment hauling. Backed by a **Limited Lifetime Frame Warranty**, companies know that buying a Towmaster trailer is a **sound investment**. Look for America's Best Trailers... **Towmaster**.

BUILT THE WAY YOU NEED THEM

**DROP-DECK TAGS • TILT BEDS • DECK-OVER TAGS • GOOSENECKS • LOWBOYS • HYDRAULIC TAIL
MORE MODELS • MORE OPTIONS • MORE CHOICES**

DOWNLOAD OUR NEW APP!
Search for "Towmaster Marketing Resource"
in the Apple App Store or Google Play Store



TOWMASTER

TOWMASTER.COM

**AMERICAN
MADE**

parameters (energy source).

One of the results of our long year researches and tests is a tower wind turbine. It gives a possibility more or less to control all the elements of the system "wind – wind generator".

Tower wind turbine consists of the following main elements: energy collecting device, generator, energy concentration device and control system.

Energy collecting device is designed as a vertical cylinder the walls of which are framed of profiles making end-to-end channels connecting outer side of the cylinder with its inner vertical channel (input convergent channels). Their aim is to "catch" incoming air flow and turn it vertically up along the vertical axis of the unit and to send it to generator blades.

Generator with blades is placed inside the energy concentrating apparatus. Generator transforms kinetic energy of wind into electrical one.

Energy concentrating device is contractually designed as a vertical hollow tower inside dimensions of which converge in the central part where the generator is placed. Inner part of the tower is continuation of the vertical inner channel of the energy collecting device. Such design allows concentration of kinetic energy of wind on generator blades.

Control system (is not shown in the picture) provides timely opening of convergent channels of the tower from the side of the incoming wind and closing of all the other convergent channels.

What are principal differences between tower wind turbine and conventional wind generators, transforming energy of incoming air flow?

1. It allows controlling wind energy concentrating on generator blades.
2. Rotor blades do not need to be "tuned" to wind. Vertical axis generator is fixed in the upper part of the unit. Wind is "tuned" to the generator itself owing to design of the energy collecting device.
3. Speed of wind rises significantly when it reaches generator blades. Design of the energy concentrating device allows raising wind speed in the inner vertical channel of the unit increasing its capacity accordingly.

Experimental tests of the unit models in aerodynamic tunnel showed growth of power output of the generator placed inside the tower more than 4 times, and at low wind speeds – more than 10 times.

To prove received results a 100:1 scale production prototype was constructed. Diagram of comparative tests is similar to laboratory tests diagram.


Analysis of received results shows significant efficiency growth of the generator placed inside the concentrating tower in comparison with wind generators of conventional design:



MATTRACKS®
RUBBER TRACK CONVERSIONS

OVER 100 MODELS TO CHOOSE FROM
FOR 4X4 VEHICLES UP TO 80,000LBS GVW

ORDER TODAY
218.683.9800 / 877.436.7800 / MATTRACKS.COM



**Weather Resistant
Solid Brass Padlocks**
Made to your specifications in the U.S.A.

HERCULOCK
Hercules Industries, U.S.A.®

HERCULES INDUSTRIES, INC.
Manufacturer of HERCULOCK Padlocks
P.O. Box 197 • Prospect, Ohio 43342
Toll Free: 1-800-345-2590
Fax: (740) 494-2274
www.HERCULOCK.com

UTILITY METALS

*Manufacturing products
you can look up to!*



UTILITY METALS...

Manufacturers of Quality:

- Area Lighting Poles
- Lighting Brackets
- Traffic Sign Structures
- Traffic Signal Structures
- Custom Manufacturing



New "In-Stock" Product

- 4" Square Steel Pole
- 20 ft. Long
- Powder Coated Dark Bronze

In stock locations:

- Sparks, NV
- Malvern, PA



UTILITY METALS

A Division of Fabricated Metals LLC.

P.O. BOX 9054

LOUISVILLE, KY 40209

800•627•8276

502•363•6681

Fax: 502•368•2656

UTILITY
METALS



Made in U.S.A.

- Wind initial velocity is 2 times lower;
- Rated wind speed is 2 times lower;
- Utilization factor of installed equipment can reach 0,6...0,7 (was calculated) ;
- Power output is 2-3 times higher;
- 5 times more energy is collected from wind stream area unit at all wind speed ranges, at low speeds – more than 10 times;
- Area of allotted land per unit of rated capacity of the TWT is the lowest among all types of generation.

Tower wind turbine concentrates wind energy on generator blades like a lens collecting sun light into the focus.

Design features of the TWT allow elimination of various disadvantages of conventional wind generators:

1. Noises and radiation harmful for people that can appear during operation of the generator of the TWT do not leave the tower as generator and blades are placed inside of it. Modern materials allow reduction and absorption of harmful noises and vibrations. For the same reason generator and blades of the TWT do not interfere TV and radio signals.

2. TWT can not cause any injuries for birds. To prevent birds from getting onto generator blades one may place protective nets at the entry to the convergent channels. To avoid birds clashing into the TWT at night its outer surface is lighted. It

could also improve tower's appearance.

Future Outlook

Technical characteristics of the TWT surpass all the modern convention wind turbine generators using incoming air flow.


Tower wind turbine can be a worthy substitute for conventional wind turbine generators:

- TWT can work at low wind speeds.
- TWT allows reaching larger power output.
- TWT's effectiveness is in no way lower than that of conventional power stations using carbon fuel such as: gas, coal, black and crude oil and its ecological cleanness has no analogues.
- TWT becomes very effective in areas with low wind speeds.
- Area of allotted land per unit of rated capacity of the TWT is the lowest among all types of generation
- Due to its compactness TWT can become an autonomous self-sufficient power source.

Tower wind turbines today are world wind power generation of tomorrow: low production cost and high quality of ecologically clean energy.

Stanislav Gusak Director of the R&D Enterprise ENERIS ■

Get Cool!




Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- low sound levels
- energy-efficient motors

- large inventory
- one-piece cast aluminum blades
- galvanized or stainless steel guards





KRENZ-VENT
quality engineered, performance tested

p.o. box 187 germantown, wisconsin 53022

262.255.2318

www.krenzvent.com



heat wagon

Safe
Tough
Reliable

Ductable Blowers



- 2900 CFM
- Explosion Proof
- Class 1 Group D
- Hazardous Location
- Ductable to 100'



- 4700 CFM
- Ductable to 50'

Air Movers



- 5000 CFM
- 20"D x 23"W x 27"H

Electric Heaters



- 18/12 KW (65,000 BTU)
- 100° Temp Rise
- (Available in 240V-Single or 3 Phase)

www.heatwagon.com • 888-432-8924

YOU CAN'T BE EVERYWHERE AT ONCE, WE CAN.

RECONYX High Definition motion activated security cameras do not require separate lines for power or communication. Extremely easy to deploy and hide, (5.5" x 4.5") our cameras provide near instant notification of an intrusion by transmitting images via the cellular network directly to your cell phone or computer.

General Surveillance and License Plate Capture models available. Visit our website for more information.

RECONYX Security Series Cameras,

See What You've Been Missing...



PHONE 866-493-6064

RECONYX
SEE WHAT YOU'VE BEEN MISSING...

WWW.RECONYX.COM

Contractor Metro Express, Inc. installs manhole within feet of adjacent building with Efficiency Production's Slide Rail System

[By James McRay]

South Beach Florida is all about “sexy.” However, one recent underground infrastructure project could hardly be called that, yet was extremely important in keeping Miami’s most popular beach area up to grade below the ground. Metro Express Inc.—headquartered in Medly, Florida—was recently tapped by the City of Miami to upgrade and install new drainage and water main connections, as part of the City’s Neighborhood #9-City Center Road Way Improvements project.

Any excavation project in a busy urban area poses many challenges for contractors, not the least of which is keeping workers safe when they are working in a pit or trench. That normally requires a contractor to use a trench protection system such as sloping, trench shielding, or shoring. However, when digging in a tight congested space like South Beach, it may not be possible to use traditional trench protection techniques and practices. The many surrounding buildings, structures, and other underground crossing utilities make it impossible to open-cut a trench for either sloping or using a trench shield.

Metro faced this dilemma when installing a new manhole and sewer tie-in at the corner of Liberty and 20th Avenues. The trench needed to be dug mere feet from an adjacent business’ patio. Therefore it was critical the structure not be undermined or compromised by the excavation in any way. In other words, trench boxes or sloping were not going to work.

Non-traditional shoring system required

The first thing Metro’s Project Manager did to find a solution to this challenge was call a local shoring equipment rental company for assistance; in this case, Efficiency Shoring & Supply’s

FRONT COVER: Medly, Florida, contractor Metro Express, Inc. performs a tricky manhole installation in close proximity to a downtown Miami South Beach business.

Metro is able to successfully shore the trench for the manhole install mere feet from the business’ patio by utilizing an Efficiency Production, Inc. manufactured Slide Rail System.



America's Trench Box Builder™

Efficiency Production, Inc.



The Contractor's Choice for Trench Boxes and Slide Rail

- Largest selection of trench shielding and shoring, and PREMIER Slide Rail System
- Custom trench shields built to your specs
- Site-Specific Engineering
- Supported by Efficiency Production's **Special Operations Shoring Division**; the nation's most experienced team of Slide Rail experts and installers



Steel Trench Box



Hydraulic Shores



Build-A-Box™



Aluminum Shield



Stone Mizer®



Slide Rail System

Toll Free for Factory-Direct Sales & Rentals or your local dealer

800-552-8800

www.usatrenchboxbuilder.com

EFFICIENCY
PRODUCTION, INC.
America's Trench Box Builder™

Miami Branch Office. This turned out to be a good decision as Efficiency Shoring & Supply is an official factory-direct distributor of manufacturer Efficiency Production, Inc. who had the resources and expertise to find a solution to Metro's challenges.

Working directly with Metro Express, the Shoring Specialists in Efficiency Production's Special Operations Shoring Division were able to design a 4 feet wide, 38 feet long and 6 feet deep Slid Rail System that would work to tightly shore—a mere three feet in this case—the trench next to the patio and not undermine the adjacent structure in any manner.

Efficiency's Universal Slide Rail is a component shoring system comprised of steel panels (similar to trench shield sidewalls) and vertical steel posts. The highly versatile system can be used in a variety of configurations. Efficiency's Slide Rail System can be configured into small four-sided pits; an obstruction-free ClearSpan™ configuration; or in a Multi-Bay™ configuration to install large tanks and structures or lengths of pipe over 40 ft.

Rental company Efficiency Shoring & Supply provides on-site assistance

The Slide Rail equipment was rented from Efficiency Shoring & Supply's Miami Branch, who's Shielding & Shoring Specialists were regularly on-site specifically to provide equipment support.

"One of the biggest advantages of Efficiency's Slide Rail System is the fact it can be installed with very limited access to the worksite," said Brian Campbell, Efficiency Shoring & Supply's Miami Branch Manager. "And the system can usually be installed with a standard sized excavator that many excavation contractors already have in their fleet; another advantage to the system."

Slide Rail is considered "positive shoring." It is installed by sliding the panels into integrated rails on the posts, and then pushing the panels and posts incrementally down to grade as the pit is dug; a process commonly referred to as a "dig and push" shoring system. "That's another advantage of our Slide Rail; there's no over-excavation," added Campbell. "The system keeps that pressure against the surrounding dirt, which was critical for Metro digging so close to that business' patio," Campbell concluded.


Efficiency Production's Special Operations Shoring Division offers installation assistance

To help install the system,

Efficiency Production sent their Senior Slide Rail Installer, Rod Austin, to assist Metro with the installation. "The Metro Express guys were great to work with; super hard working," said Austin. "It really was a tough spot to work but the Metro guys were flexible and took direction well when on-the-spot changes were needed," concluded Austin.

Metro Express had a fleet of heavy equipment at their disposal; including excavators, mini-excavators, loaders, and skid steers. The \$600,000 city improvement project was completed in August 2013. Chen Moore and Associates was the engineering firm for the project.

James McRay is the Director of Marketing & Media for Efficiency Production, Inc. Efficiency Production's Special Operations Shoring Division is staffed by the nation's most experienced team of Slide Rail experts and installers. The Division's goal is to act as an extension of a contractor's estimating department or rental operations; including: reviewing project plans and selection of shoring equipment, providing written quotation and requested submittals, providing P.E. stamped 3D submittal and proposal drawings, as well as offering pre-construction on-site consultation and special engineering. www.efficiencyshoring.com. ■



RockHound
ATTACHMENTS

DEFENDER
COMPACT FORESTRY CUTTER

CALL 800-426-5615
WWW.ROCKHOUND.COM FOR A DEALER NEAR YOU...

FELLING TRAILERS

MORE MODELS FOR MORE MARKETS



Light Utility Series



Open Top Series



L Series



Pan Series



I Series



E Series



Aluminum Series



WD Series



Compact Loader Series



Custom Hyd. Dump
w/ Stationary Platform



Hydraulic Dump Series



Hydraulic Dump DT-DO Series
Shown w/24" tall sides



Pan Tilt Series



IT-I Series (Industrial Tilt)



IT-E Series with Optional Stationary Platform



Deck-Over Tilt Series



Deck-Over Air Tilt Series



Deck-Over Air Tilt Series w/Ramps



Deck-Over Gooseneck Series



Deck-Over Series (LP)
w/opt. Double Incline Beavertail & Bi-fold Ramps



Perimeter Frame Hydraulic Tail Series

Join Us Online



WE BUILD IT YOUR WAY.

CALL 1-800-245-2809 OR VISIT WWW.FELLING.COM

TRAILERS@FELLING.COM • SAUK CENTRE, MN





Dry Type and Liquid Filled Transformers

A Quick Comparison

By Mike Dickinson

Transformers under load generate heat due to winding (copper) and core losses occurring during operation. There is an 'acceptable' temperature rise for transformers used in power applications, and this can even limit their size. This acceptable temperature rise is directly related to the limitations of the transformer materials; safety regulations; or component parts in close proximity that may have high-temperature reliability problems.

High temperatures can damage the winding insulation; the heat generated from core and winding losses must thus be dissipated. This dissipation can be achieved with a combination of radiation and convection from the exposed surfaces of the transformer. Dry type power transformers up to several hundred kVA can usually be cooled by convection or even by fans. Power transformers can also be immersed in coolant liquids - which can range from mineral oils to silicone-based oils or ester-based vegetable oils..

Based on the type of cooling used, transformers are thus classified into 'dry type' and 'liquid-filled'.

SPECIALIZED CUSTOMER-DRIVEN SOLUTIONS.



Dur-A-Lift, Inc. manufactures telescoping and articulating aerial personnel and material handling lifts for many needs. Dur-A-Lift's experience, quality & dependability shows in every product that leaves the factory. We pride ourselves on unsurpassed service both during, and after the sale.

At Dur-A-Lift we base our success on our customer's successes. By fostering mutually beneficial relationships with our customers on a personal level, we gain the ability to truly understand their needs. Call us today and let us put our experience, quality, dependability & service to work for you!

EXPERIENCE, QUALITY, DEPENDABILITY & SERVICE...

DUR-A-LIFT®



Like us on
Facebook

www.facebook.com/pages/Dur-A-Lift-Inc/282794071750558

PO Box 31, George, IA 51237 • Toll-Free: 1-877-4-DURALIFT • www.dur-a-lift.com

Liquid-Filled Transformers

- *Oil-filled Transformers*

Oil-filled transformers primarily use mineral-based oil and cellulose paper (Kraft or Aramid) in their insulation systems. This proven combination exhibits outstanding thermal and dielectric properties at a relatively low cost. So popular and effective are these units, that all other transformer designs are judged in relation to them. They are still unparalleled in terms of purchase cost, among all the options available. The inherent weakness of a mineral oil-filled transformer, of course, is flammability; which is why oil-filled transformers are usually restricted to outdoor installations, or indoor installations that have elaborate means of fire protection.

Typical Applications:

Oil-filled transformers, thanks to their lower purchase costs, find applications in literally every sort of power distribution. Of late, the awareness of the fire risks associated with mineral oil-filled transformers has created a movement towards safer alternatives that use non-flammable, biodegradable liquids, or even dry-type transformers.

- *Non-Flammable Liquid-Filled Transformers*

Polychlorinated biphenyl (PCBs) were produced in large quantities starting as early as the 1930s, in response to the electrical industry's need for a less flammable substitute for mineral oil as a cooling/insulating fluid for transformers. Several industrial incidents, however, brought the toxicity of PCBs to the fore. As confirmed organic pollutants, PCBs were banned by the late 1970s. A number of alternatives have since surfaced - major ones being silicone, perchloroethylene, high temperature hydrocarbons, and mixtures of oil with perchloroethylene. The first high molecular-weight hydrocarbon-based fluid (HMWH), was introduced in 1975. This fluid possesses similar dielectric properties as mineral oil, provide remarkable levels of fire-resistance, and do not have undesirable environmental fallouts.

Typical Applications:

Non-flammable liquid-filled transformers can be installed indoors and outdoors, close to buildings, walkways and rooftops. Usually, no additional infrastructure is required to address issues like fire safety.

- *Biodegradable Fluid Liquid-Filled Transformers*

Animal fats and vegetable oils offer substitutes that

are significantly less harmful to the environment than petroleum oils. However, vegetable oils were not used in transformers for a long time; a fluid which could be stable in the transformer environment and available in the required quantities was simply not available.

Transformer manufacturers have since worked on transformer designs that utilize vegetable oil-based dielectric fluids. Comparable in size and electrical performance to conventional liquid-filled units, these transformers are filled with the less flammable dielectric fluids mentioned above. The immediate advantages of biodegradable fluids are clear: higher fire and flash points, thus reducing flammability concerns. The other, and perhaps more long-term advantage, is the fluid's biodegradability: it has demonstrated high environmental assimilation (over 95% in less than a month) - and it has the virtue of coming from a toxin-free resource.

Typical Applications:

Biodegradable fluid liquid-filled transformers find application in wind turbines, and other indoor and outdoor areas of heightened environmental and safety sensitivity.

Dry Type Transformers

- *Vacuum Pressure Impregnated (VPI) Conventional Dry Types*

Dry type transformer construction uses high-temperature insulation that exceeds the ratings of cellulose or 'O' and 'K' class fluids. Modern conventional dry type transformers feature insulation systems comprising carefully coordinated high-temperature (220°C) materials coated with a high-temperature, moisture-resistant polyester sealant. On better quality premium units, the polyester sealant is typically applied with a vacuum pressure impregnation (VPI) process. Units built in this fashion have exhibited high resistance to most chemical contaminants. Dry type transformers are generally rated up to 30MVA; performance under overload is demonstrably limited, but the addition of cooling fans can usually help augment this.

Typical Applications:

Dry type transformers have been used effectively in diverse commercial and industrial environments for decades; at ratings exceeding 15 kVA. Appropriately designed and installed, VPI units can even be an exceptionally economical choice in medium voltage distribution (15 kVA, 10 MVA ratings), even with the inclusion of installation costs. Because





Come to World of Concrete, roll up your sleeves and try your hand at the year's newest products, equipment and services. Technology, training, resources and ideas—zoom in at the industry's only annual international event designed specifically for commercial concrete and masonry professionals.

of reduced fire risks, these transformers have been used successfully in special applications where the public are in close proximity, such as underground tunnels, residential apartments, oil rigs and more.

- *Gas-Filled Dry Types*

Gas-filled dry type transformers are designed for applications where low flammability is a vital consideration. N₂, C₂F₆, and SF₆ gases are the ones used in these designs, providing a dielectric medium that is external to the windings. Apart from being the dielectric medium, these gases also act as the thermal medium to transfer heat from windings to tank walls. Gas-filled transformers are an alternative to dry-type construction with fewer fire and contamination risks.

Typical Applications:

Gas media have somewhat limited thermal capabilities; and gas-filled dry type transformers usually do not exceed 3750 kVA (C₂F₆) or even 2000 kVA (N₂). Their design also makes them considerably larger than oil-filled units - anywhere from 20% to 30% bigger. Properly designed and installed gas-filled transformers can operate in any environment and remain truly non-flammable. They are commonly installed in dry-docks to provide local power for shipbuilding. Dry-docks (including transformers) are eventually flooded to float the ship away from the construction site.

- *Vacuum Pressure Encapsulated (VPE) Dry Types*

Military shipboard use is an exacting requirement, and VPE dry type transformers were developed to meet these needs. VPE transformers are similar to VPI transformers, but employ a resin made of silicone instead of polyester. The VPE method includes several dip processes to encapsulate the coil assembly; the coatings are then cured in an oven. The resin coating in the VPE design is also typically thicker, sometimes by as much as a factor of four; as can be expected, the thermal classification of the insulation system is markedly different for the military than for commercial applications. VPE transformers are more resistant to harsh and wet environments than VPI type counterparts.

Typical Applications:

VPE dry type transformers typically find applications in very harsh indoor and outdoor environments. VPE technology allows the transformer to be highly resistant to humid and caustic environments, but carefully designed enclosures are still a must.

- *Epoxy Coated Dry Types*

Epoxy coated, or 'epoxy shielded' dry type units offer the benefits of better environmental protection, minimal noise, high basic impulse levels and better short circuit strength than cast coil types. Epoxy shielded transformers are also usually less expensive, flexible, smaller and lighter. There are typically two variants of epoxy coated transformers - in one, a VPI dry-type is given an overcoat

of epoxy varnish; in the other, the epoxy varnish is used as a complete replacement for the polyester sealant.

Typical Applications:

Epoxy coated transformers can be ideally suited for environments that may be polluted with acids, alkalis and chlorides. They are also resistant to the effects of salt water and high humidity, thus finding numerous applications in areas which concentrations of these problems.

- *RESIBLOC Epoxy Cast Dry Types*

Unlike conventional VPI dry type designs, RESIBLOC Epoxy Cast dry type transformers do not use insulation papers in the windings. Instead, pure epoxy resin reinforced with glass fiber rovings are wound directly with the wire. Winding processes controlled by advanced electronics also ensure even distribution and high levels of precision. Aluminum/copper foils are used for the low voltage winding; and circular (or rectangular) copper conductors with glass-fiber reinforced epoxy resin insulation are used for the high voltage windings. The completed winding block is then 'cured' in a specially designed oven under rotation. This process enables cast winding production without molds or vacuum. As in most cast epoxy units, the dielectric material on the interior winding is the epoxy itself. RESIBLOC transformers are reliable, environmentally safe, offer extreme fire resistance, have high short circuit withstands, and can be exposed to extreme conditions with minimal maintenance.

Typical Applications:

RESIBLOC transformers often find applications in energization, ovens, or traction; they are commonly found in the railways, marine propulsion and distribution, in the nuclear energy and windmill power sectors, and in the mining industry.

- *Epoxy Cast Dry Types*

The primary and secondary coils in epoxy cast dry type transformers are usually wound with copper conductors, pre-heated and placed in a mold which will then be filled with de-gassed and mixed epoxy under vacuum. The molds are then cured in special ovens to allow sound, void-free casting. The result is a winding design that is void-free, hermetically sealed, and with a smooth exterior finish.

Typical Applications:

Epoxy cast dry type transformers are used inside buildings and tunnels, on ships, offshore platforms and cranes, food-processing plants, and more. They are often combined with primary and secondary switchgear and distribution boards, to form compact substations.

Mike Dickinson-contributing writer for Pacific crest transformers. To know more about Liquid filled distribution transformers check out Pacific crest transformers website. ■

WELCOME TO THE NEW AGE OF TECHNOLOGY



wireless

Hioki LR8410-20 Wireless Bluetooth Datalogger Station

- Up to 105 Channels
- Recording Speed as fast as 100 ms
- Easy to Use
- Multiple Measurement Types - VOLTAGE, THERMOCOUPLE, RESISTANCE, HUMIDITY
- Bluetooth® range up to 100 feet



Producing High Quality Products Since 1935

HIOKI

6 CORPORATE DRIVE • CRANBURY, NJ
PHONE: 609.409-9109
FAX: 609.409-9108
www.hiokiusa.com



ISO 9001
ISO 14001



Increase your knowledge and build your skills with UCT's exclusive, professional conference. The dynamic educational program will help you understand the new technologies and products displayed in the exhibit hall and stay on top of the latest safety, regulatory and operational issues that are impacting the way you do business.

LEARN

Jan. 25-30, 2015

George R. Brown Convention Center
Houston, TX

10

Pre and Post UCT training courses
offer industry certification

14

Primary UCT program tracks
will help you find the sessions that
are most relevant for your business

90

Information packed UCT sessions
qualify for CEUs and PDHs

NETWORK

Jan. 27-29, 2015

George R. Brown Convention Center
Houston, TX

2,500

Network with 2,500+ attendees from a
cross-section of the industry

200

See equipment and technologies from
nearly 200 companies on the
UCT exhibit floor

3

Source everything you need in the
underground utility pipe industry in
3 days during 1 business trip

UCT – the total source for the underground construction market.



FREE

Exhibit Hall Registration for
The Utility Source Readers!

Email: kfrancis@uctonline.com

Underground Construction Technology
International Conference & Exhibition

January 27-29, 2015
Houston, TX

View the program and exhibitor list at uctonline.com

PATENT PENDING

EZ DRAIN™ OIL VALVE

**NEW
&
IMPROVED**



- REPLACES YOUR EXISTING DRAIN PLUG
- JUST TURN THE LEVER TO DRAIN OIL

THE EASIEST OIL CHANGE

Optional Hose Connections



ATTACH THE
REMOVABLE
HOSE END



CONNECT A HOSE



OPEN THE LEVER
TO DRAIN OIL



STRAIGHT HOSE END



L-SHAPED HOSE END

For Heavy Duty Trucks and Buses, contact the following distributors:

NORTHWEST
Wesrep Sales Co.
(253)851-9099

SOUTHWEST
TMA
(619)579-9603

ROCKY MOUNTAIN
TEWCO, INC.
(800)558-8730

MIDWEST
Gomco Sales Co.
(800)793-0154

NORTH CENTRAL
TEWCO, INC.
(800)558-8730

SOUTH CENTRAL
JJ O'Connell Co.
(800)727-0770

NORTHEAST
Gomco Sales Co.
(800)793-0154

SOUTHEAST
Mys-Tec Sales
(404)505-0163

CANADA: DKS 1-(877) 508-3900 email: info@ezoil drain.com

For Cars and Pickups order from: www.oildrainvalve.net

USA: www.EZoil drain.com **Canada:** www.EZoil drain.ca



Switchgear Maintenance

The Ins and Outs

Switchgear Maintenance - The Ins and Outs

Over the years switchgears have been made from various materials; understanding what kind you have, whether it is oil filled or air blast vacuum switchgear, maintenance is of high importance. Deciding what kind of maintenance program you will have depends on the switchgear's usage.

Types of Switchgear Maintenance Programs

Determining how the switchgear maintenance will be conducted usually comes down to how important that portion of the grid is. It must be understood that, since switchgear is attached to the electrical grid, it is an important piece of the electric producing puzzle.

There are basically three types of switchgear maintenance programs that most areas use; constant monitoring, run to fail, and a combination of the two. Choosing the correct one can mean the difference between no problems, or a large amount of down time.

Switchgear Maintenance - Constant Monitoring

In the constant monitoring plan for switchgear maintenance, the equipment is usually hooked to a computer system that is always giving updates on the different pieces of the machinery. There is a planned maintenance and testing schedule and this routine maintenance is carried out periodically.

The main drawback of this switchgear maintenance plan is that it is cost prohibitive, and requires someone whose sole duties are concerned with the maintenance program. This is the type of plan for switchgear connected to a very important part of the grid.

Switchgear Maintenance - Run to Failure

Run-to-failure switchgear maintenance is the most cost-effective form of program. In this plan, no routine maintenance is done. The equipment is simply allowed to run until it needs to be repaired. While this is the least expensive option, it can only be used in an area where having to shut down part of the grid, will not have a huge impact on service.

Switchgear Maintenance - Combination

Using a combination of the two types of switchgear maintenance



Producers of the most complete line of trench shoring & shielding equipment in the world!



Aluminum Trench Shields



Steel Trench Shields



Slide Rail Systems



Port-A-Bridges



MD Sheeting and Bracing



Hydraulic Shoring



Contact us at:
800-248-2054
or

www.gme-shields.com

is most common. In this maintenance plan, certain parts of the equipment such as warning lights are left to be repaired only when they stop working. Other more important parts are on a maintenance schedule and tested regularly. This plan works well when the shutdown cost of this equipment outweighs the cost of the maintenance schedule.

Switchgear Power Systems - Should I Choose Gas Insulated Or Air Insulated?

There are two main types of switchgear power systems: gas insulated and air insulated. There is a large debate as to which switchgear system is more effective and which is safer to use for the environment.

Gas-Insulated Switchgear Systems

Gas-insulated switchgear systems are quite efficient in that they require a very small amount of space and the equipment is relatively inexpensive to operate. This allows for use in areas of high population and in areas where it is more eye-pleasing to use a smaller system, such as department stores, high-rise buildings, industrial plants or mobile units.

However, with the use of the gas-insulated switchgear system also comes the emission of sulfur hexafluoride. While sulfur hexafluoride is a non-toxic, odorless and non-flammable gas, it is also what is called a greenhouse gas, which is known to be harmful to the earth's ozone layer. Many environmentalists oppose the use of these types of switchgear systems, even though this particular gas contributes to only .05% of the greenhouse gases emitted. These emissions have also been cut by about 40% since 1995 and there is always work that is being done to reduce them even further.

Air-Insulated Switchgear Systems

The air-insulated switchgear systems can come with a slightly higher price tag than the gas systems. They are larger and can cost more to operate, leaving little room for them in the more compact areas in which their counterparts can fit.

While these switchgear systems have been found to be more environmentally friendly (because, honestly, what could be more environmentally friendly than air?), their size and the sheer cost of operating such bulky machinery is often a deterrent to having them in smaller areas of business and residential housing, such as apartment buildings.

Which Switchgear System is Better for Your Needs?

When all of these things are taken into consideration, it ultimately becomes a debate on which switchgear system is able to provide people with the capabilities that are needed coupled with the environmental responsibilities that come along with the service.

Of course, while it is important to keep the greenhouse emissions as low as possible, and these environmental responsibilities belong to us all, the amounts that are released with the gas switchgear systems hardly seems to be a noticeable culprit if you look at the totals from all other sources.

Switchgear Maintenance - Final Thoughts

Determining the type of plan for your switchgear maintenance comes down to two considerations. Determining the importance of the part of the grid in question and balancing the cost of maintenance versus the cost of a shut down. What you choose is up to you, as long as you keep in mind that no one wants to be without power. ■

LOW PROFILE HIGH R.O.I.

The Lo Riser Inclining Platform Trailer is a versatile tool that will help increase your efficiencies and lower costs to deliver a higher return on your investment.

With a Lo Riser you'll see:

- ✓ Lower labor costs
- one man loading/unloading offers more deliveries per day
- ✓ Lower specialized equipment costs
- no rollback truck required, just a pickup truck
- no crown point, equipment can be driven up the built-in ramp
- ✓ Lower worker's comp claims
- enhanced safety features eliminate most opportunities for injuries
- no more dangerous, slanted ramp boards

Stop, Drop and Load your way to maximum profits.

LO RISER
Inclining Platform Trailers
Manufactured by: The Advance Metalworking Company, Inc.

1-800-369-5365
www.advancemetalworking.com




4 Degree Load Angle

*shown with optional paint color



WORLDWIDE LEADER

FOR CRUSHING SOLUTION



MB

THE CRUSHING EVOLUTION

⊕ PROFIT

MB. CUT DOWN ON CRUSHING TIMES AND COSTS, AND INCREASE YOUR PROFITS.

⊕ SAVINGS

MB. ELIMINATE TRANSPORTATION, WASTE DISPOSAL AND CRUSHED MATERIAL BUY-BACK COSTS.

⊕ INNOVATION

MB. RESEARCH, DESIGN, PRODUCTION AND SALE OF CRUSHING AND SCREENING ATTACHMENTS.



www.mbamerica.com

HARDOX
MB MB 80001

ISO 9001:2008
ISO 14001:2004
ISO 45001:2018



Company Certification
ISO 9001:2008
ISO 14001:2004
ISO 45001:2018

Company	Pg.	Website
Advance Metal Working	30	www.advancemetalworking.com
Condux	2	www.condux.com
Dur-A-Lift, Inc.	21	www.dur-a-lift.com
Efficiency	17	www.usatrenchboxbuilder.com
E-Z Oil Drain	27	www.ezoidrain.com
Felling Trailers	19	www.fellingtrailers.com
GME Shoring	29	www.gme-shields.com
Heat Wagon	14	www.heatwagon.com
Herculock	12	www.herculock.com
Hioki	25	www.hiokiusa.com
I-80 Truck Sales	1	www.i80equipment.com
Krenz Vent	14	www.krenzvent.com
Mattracks	12	www.mattracks.com
MB Crusher	31	www.mbamerica.com
Minimizer	5	www.minimizer.com
MSA Safety	IFC	www.msasafety.com
Nesco	BC	www.nescorentals.com
NTEA	7	www.worldtruckshow.com
Pelsue	IBC	www.pelsue.com
Reconyx	15	www.reconyx.com
Rock Hound	18	www.rockhoundattachments.com
Solesbees	32	www.solesbees.com
Steelman	6	www.steelman.com
Surge Suppression	3	www.surgesuppression.com
Towmaster	11	www.towmaster.com
Underground Construction Technology	26	www.uctonline.com
Utility Metals	13	www.utilitymetals.com
World of Concrete	23	www.worldofconcrete.com
Yale Cordage	10	www.yalecordage.com



Soleesbee's

Equipment & Attachments LLC



Hydraulic
Excavator
Thumbs



Excavator Progressive Link Thumbs



Excavator
Thumbs



Excavator
Demolition
Grapples



Excavator
Wood
Shears



Skid Steer
Grapple Rakes



Stump
Pullers



Loader Rakes
with
Top Clamp



Skid Steer Forks



Skid Steer
Bucket Grapples

All attachments available for on time delivery!

Ph. 770-949-9231 • Fax 770-947-9916

800-419-8090

www.solesbees.com



TRADITION • INNOVATION

Toll Free 1-844-TAPELSUE • Fax 303-934-5581
sales@pelsue.com • www.vehicleupfit.com

Vehicle Upfitting for:

- Confined Space Service
- Mobile Command Center
- Mobile Lab
- Fiber Optic/Copper Splicing

whatever your needs are,
Peslues vehicles and trailers
is the answer for your fleet
needs.



High-Roof Vans



Cargo Vans



Truck Chassis



Fiberlite XL Trailer



Fiberlite POD Trailer

NESCO's

ADDING HUNDREDS OF

★★★★★

NEW UNITS



NESCO IS PLEASED TO ANNOUNCE WE ARE ADDING HUNDREDS OF NEW UNITS TO OUR EXISTING FLEET!

In addition to the acquisition of Foley Utility Equipment's rental fleet—which added 1-2 year old transmission and distribution units—NESCO has purchased hundreds of new Terex bucket trucks and digger derricks; Manitex cranes; and Hogg & Davis and Sherman + Reilly stringing equipment. The new additions to our fleet mean NESCO truly has everything you need to get the job done!

CONTACT US NOW AND GET WORKING! 800-252-0043 | www.NESCORENTALS.com

